



# Safety Data Sheet

## Big Sexy Hair Full Bloom

### **SECTION 1: IDENTIFICATION**

**MSDS FIRST PREPARATION DATE:** May 5, 2015

**FORMULA:** 24839-09/KAH-080114-A

**GENERIC/CHEMICAL NAME:** N/A

**PRODUCT TYPE/CHEMICAL FAMILY:** Personal Care Product

**PRODUCT CODE:** N/A

**SYNONYMS:** None

**CONTACT ADDRESS:** Sexy Hair Concepts, LLC, 21551 Prairie St. Chatsworth, CA 91311

### **EMERGENCY PHONE NUMBERS:**

CHEMTREC: Domestic North America 800-424-9300; For Information: 818-206-6700

### **SECTION 2: HAZARDS IDENTIFICATION**

#### **2.1 Potential Health Effects**

**Inhalation:** Slight nasal irritation may occur

**Skin Contact:** May be irritating to extra-sensitive skin.

**Eye Contact:** May cause mechanical irritation.

**Ingestion:** Harmful if swallowed. May cause gastrointestinal irritation.

**Chronic effects and medical conditions aggravated by overexposure:**

Chronic effects and medical conditions aggravated by overexposure to this product have been not established. Unnecessary exposure to this product or any chemical should be avoided.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **3.1 Emergency Overview:**

The identity of individual components of this mixture is proprietary information and regarded to be a trade secret. However, based on the health hazard determination of contained ingredients present, this mixture presents the following health hazard(s):

| Hazardous Components | % Range | CAS NO. | OSHA PEL | ACGIH TLV |
|----------------------|---------|---------|----------|-----------|
| N/A                  | N/A     | N/A     | N/A      | N/A       |

### **SECTION 4: FIRST AID MEASURES**

**Inhalation:** If inhaled, remove to fresh air. Get medical attention if symptoms occur.

**Skin:** If irritation is experienced, wash exposed area thoroughly with water. If irritation persists, get medical assistance.

**Eyes:** Flush with plenty of water for 15 minutes, if irritation persists, get medical assistance.

**Ingestion:** Do not induce vomiting, drink 3-4 glasses of water. Get prompt medical attention.

## **SECTION 5: FIRE FIGHTING MEASURES**

**Flammability Classification:** Not flammable  
**Flash Point:** Not applicable  
**Extinguishing Media:** Foam, CO<sub>2</sub>, water, fog, sand/earth.  
**Unusual Fire And Explosion Hazards:** Not applicable.  
**Special Fire Fighting Procedures:** Must wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire and exposed container with water spray.

## **SECTION 6: ACCIDENTIAL RELEASE MEASURES**

### **Steps To Be Taken In Case Material Is Released Or Spilled:**

Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand or earth.

### **Disposal Method:**

Sweep up and dispose of in accordance with Federal, State and local regulations.

## **SECTION 7: HANDLING AND STORAGE**

**Usage Precautions:** Use as directed.  
**Storage Precautions:** Protect containers against physical damage. Keep closed until used. Store in a dry place at ambient temperatures. Keep out of reach of children.  
**Other Precaution:** Caution! Spilled material is slippery.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Control:** Not required.  
**Respiration Protection:** Not applicable.  
**Protective Gloves:** Not required.  
**Eye And Face Protection:** Not required.  
**Hygienic Work Practices:** No special practices noted. No eating or drinking while working with this material.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Boiling range :** Not determined.  
**Vapor Density:** ☒ Heavier ☐ Lighter Than Air  
**Evaporation Rate:** ☐ Faster ☒ Slower, Than Ether  
**Appearance:** Hazy Thin Liquid  
**Odor/Taste:** Fruity  
**Solubility In Water:** Miscible  
**pH (range):** 6.00-7.00  
**Specific Gravity:** 1.011 +/- 0.01  
**Viscosity (range):** Water-Thin

## **SECTION 10: STABILITY AND REACTIVITY**

**Stability:** ☐ Unstable ☒ Stable

**Incompatibility (Materials To Avoid):** Strong acids and oxidizing agents.

**Hazardous Decomposition Products:** May produce toxic fumes of oxides of carbon, sulfur and Nitrogen; ammonia.

**Hazardous Polymerization:** ☐ May Occur ☒ Will Not Occur

**Conditions To Avoid:** Extreme temperatures.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

The product has not been tested for specific toxicity data. This product has not been tested on animals.

**Carcinogenicity:** This information is not available.

**Reproductive toxicity:** No Data Available

**STOT-Single exposure:** No Data Available

**STOT-Repeated exposure:** No Data Available

**Aspiration toxicity:** No Data Available

## **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity:**

a) No Data Available

**Persistence and degradability:** No Data Available

**Bioaccumulative potential:** No Data Available

**Other Adverse Effects:** No Data Available

## **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Method:** Collect and dispose of in accordance with Federal, State and local laws and regulations. This product is not classified as an equitable hazardous waste.

## **SECTION 14: TRANSPORT INFORMATION**

**DOT Classification:** Not regulated.

## **SECTION 15: REGULATORY INFORMATION**

**TSCA:** Not applicable.

**SARA, Title III, Section 313 (40CFR 372):** Not applicable.

**California Proposition 65:** Not applicable

## **SECTION 16: OTHER INFORMATION**

**Revision:** N/A

### **Disclaimer:**

The information contained in this Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on its own studies and on the work of others, and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, or adequacy of the information herein. It is intended to assist in the normal safe usage of the product.

|   |  |           |             |            |            |                    |               |             |
|---|--|-----------|-------------|------------|------------|--------------------|---------------|-------------|
| GENERAL INFORMATION:  |  |           |             |            |            |                    |               |             |
| CAS No.   | Chemical Abstract Service Number   |           |             |            |            |                    |               |             |
| EXPOSURE LIMITS IN AIR:   |  |           |             |            |            |                    |               |             |
| ACGIH   | American Conference on Governmental Industrial Hygienists  |           |             |            |            |                    |               |             |
| C   | Ceiling Limit  |           |             |            |            |                    |               |             |
| ES  | Exposure Standard (Australia)  |           |             |            |            |                    |               |             |
| IDLH  | Immediately Dangerous to Life and Health   |           |             |            |            |                    |               |             |
| OSHA  | U.S. Occupational Safety and Health Administration   |           |             |            |            |                    |               |             |
| PEL   | Permissible Exposure Limit   |           |             |            |            |                    |               |             |
| STEL  | Short-Term Exposure Limit  |           |             |            |            |                    |               |             |
| TLV   | Threshold Limit Value  |           |             |            |            |                    |               |             |
| TWA   | Time Weighted Average  |           |             |            |            |                    |               |             |
| FIRST AID MEASURES:   |  |           |             |            |            |                    |               |             |
| CPR   | Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body. |           |             |            |            |                    |               |             |
| HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:   |  |           |             |            |            |                    |               |             |
| 0   | Minimal Hazard   |           |             |            |            |                    |               |             |
| 1   | Slight Hazard  |           |             |            |            |                    |               |             |
| 2   | Moderate Hazard  |           |             |            |            |                    |               |             |
| 3   | Severe Hazard  |           |             |            |            |                    |               |             |
| 4   | Extreme Hazard   |           |             |            |            |                    |               |             |
| <div>HEALTH</div> <div>FLAMMABILITY</div> <div>PHYSICAL HAZARDS</div> <div>PERSONAL PROTECTION</div>  |  |           |             |            |            |                    |               |             |
| PERSONAL PROTECTION RATINGS:  |  |           |             |            |            |                    |               |             |
| A   |  |           |             |            |            |                    |               |             |
| B   |  |           |             |            |            |                    |               |             |
| C   |  |           |             |            |            |                    |               |             |
| D   |  |           |             |            |            |                    |               |             |
| E   |  |           |             |            |            |                    |               |             |
| F   |  |           |             |            |            |                    |               |             |
| G   |  |           |             |            |            |                    |               |             |
| H   |  |           |             |            |            |                    |               |             |
| I   |  |           |             |            |            |                    |               |             |
| J   |  |           |             |            |            |                    |               |             |
| K   |  |           |             |            |            |                    |               |             |
| X   | Consult your supervisor or SOPs for special handling directions.   |           |             |            |            |                    |               |             |
| <div> Safety Glasses</div> <div> Splash Goggles</div> <div> Face Shield &amp; Protective Eyewear</div> <div> Gloves</div> <div> Boots</div> <div> Synthetic Apron</div> <div> Protective Clothing &amp; Full Suit</div> <div> Dust Respirator</div> <div> Full Face Respirator</div> <div> Dust &amp; Vapor Half-Mask Respirator</div> <div> Full Face Respirator</div> <div> Airline Hood/Mask or SCBA</div> |  |           |             |            |            |                    |               |             |
| OTHER STANDARD ABBREVIATIONS:   |  |           |             |            |            |                    |               |             |
| ML  | Maximum Limit  |           |             |            |            |                    |               |             |
| mg/m3   | milligrams per cubic meter   |           |             |            |            |                    |               |             |
| NA  | Not Available  |           |             |            |            |                    |               |             |
| ND  | Not Determined   |           |             |            |            |                    |               |             |
| NE  | Not Established  |           |             |            |            |                    |               |             |
| NF  | Not Found  |           |             |            |            |                    |               |             |
| NR  | No Results   |           |             |            |            |                    |               |             |
| ppm   | parts per million  |           |             |            |            |                    |               |             |
| SCBA  | Self-Contained Breathing Apparatus   |           |             |            |            |                    |               |             |
| NATIONAL FIRE PROTECTION ASSOCIATION: NFPA  |  |           |             |            |            |                    |               |             |
| FLAMMABILITY LIMITS IN AIR:   |  |           |             |            |            |                    |               |             |
| Autoignition Temperature  | Minimum temperature required to initiate combustion in air with no other source of ignition  |           |             |            |            |                    |               |             |
| LEL   | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source   |           |             |            |            |                    |               |             |
| UEL   | Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source  |           |             |            |            |                    |               |             |
| HAZARD RATINGS:   |  |           |             |            |            |                    |               |             |
| 0   | Minimal Hazard   |           |             |            |            |                    |               |             |
| 1   | Slight Hazard  |           |             |            |            |                    |               |             |
| 2   | Moderate Hazard  |           |             |            |            |                    |               |             |
| 3   | Severe Hazard  |           |             |            |            |                    |               |             |
| 4   | Extreme Hazard   |           |             |            |            |                    |               |             |
| ACD   | Acidic   |           |             |            |            |                    |               |             |
| ALK   | Alkaline   |           |             |            |            |                    |               |             |
| COR   | Corrosive  |           |             |            |            |                    |               |             |
| W   | Use No Water   |           |             |            |            |                    |               |             |
| OX  | Oxidizer   |           |             |            |            |                    |               |             |
| TREFOIL   | Radioactive  |           |             |            |            |                    |               |             |
| TOXICOLOGICAL INFORMATION:  |  |           |             |            |            |                    |               |             |
| LD <sub>50</sub>  | Lethal Dose (solids & liquids) w s   |           |             |            |            |                    |               |             |
| LC <sub>50</sub>  | Lethal concentration (gases) which kills 50% of the exposed animal   |           |             |            |            |                    |               |             |
| ppm   | Concentration expressed in parts of material per million parts   |           |             |            |            |                    |               |             |
| TD <sub>01</sub>  | Lowest dose to cause a symptom   |           |             |            |            |                    |               |             |
| TCLO  | Lowest concentration to cause a symptom  |           |             |            |            |                    |               |             |
| TD <sub>01</sub> , LD <sub>01</sub> , & LD <sub>50</sub> or TC, TC <sub>01</sub> , LC <sub>01</sub> , & LC <sub>50</sub>  | Lowest dose (or concentration) to cause lethal or toxic effects  |           |             |            |            |                    |               |             |
| IARC  | International Agency for Research on Cancer  |           |             |            |            |                    |               |             |
| NTP   | National Toxicology Program  |           |             |            |            |                    |               |             |
| RTECS   | Registry of Toxic Effects of Chemical Substances   |           |             |            |            |                    |               |             |
| BCF   | Bioconcentration Factor  |           |             |            |            |                    |               |             |
| TL <sub>m</sub>   | Median threshold limit   |           |             |            |            |                    |               |             |
| log K <sub>OW</sub> or log K <sub>OC</sub>  | Coefficient of Oil/Water Distribution  |           |             |            |            |                    |               |             |
| REGULATORY INFORMATION:   |  |           |             |            |            |                    |               |             |
| WHMIS   | Canadian Workplace Hazardous Material Information System   |           |             |            |            |                    |               |             |
| DOT   | U.S. Department of Transportation  |           |             |            |            |                    |               |             |
| TC  | Transport Canada   |           |             |            |            |                    |               |             |
| EPA   | U.S. Environmental Protection Agency   |           |             |            |            |                    |               |             |
| DSL   | Canadian Domestic Substance List   |           |             |            |            |                    |               |             |
| NOHSC   | National Occupational Health and Safety Commission (Australia)   |           |             |            |            |                    |               |             |
| NDSL  | Canadian Non-Domestic Substance List   |           |             |            |            |                    |               |             |
| PSL   | Canadian Priority Substances List  |           |             |            |            |                    |               |             |
| TSCA  | U.S. Toxic Substance Control Act   |           |             |            |            |                    |               |             |
| EU  | European Union (European Union Directive 67/548/EEC)   |           |             |            |            |                    |               |             |
| WGK   | Wassergefährungsklassen (German Water Hazard Class)  |           |             |            |            |                    |               |             |
| HMIS-III  | National Paint & Coatings Association Hazardous Materials Identification System  |           |             |            |            |                    |               |             |
| WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:  |  |           |             |            |            |                    |               |             |
|   |  |           |             |            |            |                    |               |             |
| Class A   | Class B  | Class C   | Class D1    | Class D2   | Class D3   | Class E            | Class F       |             |
| Compressed  | Flammable  | Oxidizing | Toxic       | Irritation | Infectious | Corrosive          | Reactive      |             |
| EC (67/548/EEC) INFORMATION:  |  |           |             |            |            |                    |               |             |
|   |  |           |             |            |            |                    |               |             |
| C   | E  | F         | N           | O          | T          | Xi                 | Xn            |             |
| Corrosive   | Explosive  | Flammable | Harmful     | Oxidizing  | Toxic      | Irritant           | Harmful       |             |
| CLP/GHS (1272/2008/EC) PICTOGRAMS:  |  |           |             |            |            |                    |               |             |
|   |  |           |             |            |            |                    |               |             |
| GHS01   | GHS02  | GHS03     | GHS04       | GHS05      | GHS06      | GHS07              | GHS08         | GHS09       |
| Explosive   | Flammable  | Oxidizer  | Pressurized | Corrosive  | Toxic      | Harmful Irritating | Health Hazard | Environment |

# Safety Data Sheet

## Big Sexy Hair Get Layered Hairspray

### **SECTION 1: IDENTIFICATION**

**MSDS FIRST PREPARATION DATE:** October 21, 2014

**FORMULA:** B-9170G

**GENERIC/CHEMICAL NAME:** N/A

**PRODUCT TYPE/CHEMICAL FAMILY:** Personal Care Product

**PRODUCT CODE:** N/A

**SYNONYMS:** Sexy Hair - Get Layered Working Hair Spray 55%VOC

**CONTACT ADDRESS:** Sexy Hair Concepts, LLC 21551 Prairie St. Chatsworth, CA 91311

### **EMERGENCY PHONE NUMBERS:**

CHEMTEL: +1 (813) 248-0585 / +1 (888) 255-3924 (CN – MIS0002907)

### **SECTION 2: HAZARDS IDENTIFICATION**

This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia).

**WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINERS: MAY BURST IF HEATED. CAUSES EYE IRRITATION.**

**Classification:** Aerosols 2; Eye Irrit, 2

#### **Hazard statements (H):**

|      |  |
|------|--|
| H223 | Flammable Aerosol                          |
| H229 | Pressurized container: may burst if heated |
| H320 | Causes eye irritation                      |



#### **Precautionary statements (P):**

|                |  |
|----------------|--|
| P210           | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                     |
| P211           | Do not spray on an open flame or other ignition source.  |
| P251           | Do not pierce or burn, even after use  |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove Contact lenses if present and easy to do so. Continue rinsing. |
| P337+P313      | If eye irritation persists: Get medical advice/attention   |
| P410 + P412    | Protect from sun light. Do not expose to temperature exceeding 50 °C/122 °F.   |
| P501           | Dispose of contents/containers to licensed and permitted disposal or recycling facility.   |

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **Composition:**

| Chemical Name (s)               | CAS No. | RTECS No. | EINECS No. | %     | Exposure Limits in Air (mg/m³) |      |        |         |         |      |      |      |  | Other |
|---------------------------------|---------|-----------|------------|-------|--------------------------------|------|--------|---------|---------|------|------|------|--|-------|
|                                 |         |           |            |       | ACGIH                          |      | NOHSC  |         |         | OSHA |      |      |  |       |
|                                 |         |           |            |       | ppm                            |      | ppm    |         |         | ppm  |      |      |  |       |
|                                 |         |           |            |       | TLV                            | STEL | ES-TWA | ES-STEL | ES-PEAK | PEL  | STEL | IDLH |  |       |
| Ethanol (SD Alcohol 40B)        | 64-17-5 | KQ6300000 | 200-578-6  | 10-50 | 1000                           | 3000 | 1000   | 1800    | NF      | 1000 | 1900 | 3300 |  |       |
| Flam.Liq.2; H225                |         |           |            |       |                                |      |        |         |         |      |      |      |  |       |
| Difluoroethane (R-152a)         | 75-37-6 | KI410000  | 200-866-1  | 20-50 | 1000                           | NA   | 1000   | NA      | NA      | NE   | NA   | NA   |  |       |
| Flam.gas 1; H220                |         |           |            |       |                                |      |        |         |         |      |      |      |  |       |
| Isobutane                       | 75-28-5 | TZ4300000 | 200-857-2  | 5-25  | 600                            | 750  | NF     | NF      | NA      | NA   | NA   | NA   |  |       |
| Press. Gas 1; Flam. Gas 1; H220 |         |           |            |       |                                |      |        |         |         |      |      |      |  |       |

## **SECTION 4: FIRST AID MEASURES**

### **4.1 First Aid:**

- Ingestion:** If ingested do not induce vomiting! If product has been swallowed drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of substance that was swallowed.
- Skin:** If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately.
- Eyes:** If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Raise and lower eyelid(s) while flushing to ensure thorough irrigation. If problem persist seek immediate medical attention.
- Inhalation:** In the event of massive inhalation Remove Victim to fresh air and keep comfortable for breathing.

### **4.2 Effects of Exposure:**

- Ingestion:** If product is swallowed, may cause vomiting and/or diarrhea and central nervous system depression.
- Eyes:** Moderately irritating to the eyes.
- Skin:** May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals upon prolonged or repeated exposure.
- Inhalation:** Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of concentrated vapors can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea).

#### 4.3 Symptoms of Overexposure:

|                    |  |
|--------------------|--|
| <b>Ingestion:</b>  | May cause vomiting and/or diarrhea and central nervous system depression.  |
| <b>Eyes:</b>       | Overexposure in eyes may cause redness; itching and watering (risk of serious damage to eyes). Contact may cause mild eye irritation including stinging, watering and redness.   |
| <b>Skin:</b>       | Prolonged contact with skin may result in bleaching and irritation of skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. |
| <b>Inhalation:</b> | Symptoms of overexposure may include coughing, wheezing, nasal congestion, and difficulty breathing.   |

#### 4.4 Acute Health Effects:

Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.

#### 4.5 Chronic Health Effects:

No harmful or chronic health effects are expected to occur from a single accidental ingestion. These ingredients may be irritating to the skin and mucous membrane of the eye and respiratory system. Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis.

#### 4.6 Target Organs:

Eyes, skin, respiratory system.

#### 4.7 Medical Conditions Aggravated by Exposure:

Acute health hazards may be delayed. Most common symptoms include irritating properties to eyes, respiratory system and skin. Existing dermatological conditions (such as eczema) and respiratory conditions (such as bronchial asthma and/or bronchitis) may be exacerbated.

|                             |            |          |
|-----------------------------|------------|----------|
| <b>HEALTH</b>               |            | <b>1</b> |
| <b>FLAMMABILITY</b>         |            | <b>4</b> |
| <b>PHYSICAL HAZARDS</b>     |            | <b>0</b> |
| <b>PROTECTIVE EQUIPMENT</b> |            | <b>B</b> |
| <b>EYES</b>                 | <b>CNS</b> |          |

### SECTION 5: FIRE FIGHTING MEASURES

#### 5.1 Fire & Explosion hazards:

Level 1 Aerosol (NFPA 30B), Aerosols may burst at temperatures above 120 °F. Cool uninvolved containers to prevent possible bursting. Aerosols may be projectile hazards when bursting. If aerosols are bursting, stay clear until bursting is complete. Containers may rupture and release flammable liquids or exposed gasses if exposed to the heat of fire. Keep containers cool by spraying them with water until the fire has been extinguished.

#### 5.2 Extinguishing Methods:

Water Fog, Foam, Dry Chemical, CO<sub>2</sub>



### 5.3 Firefighting Procedures

As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure demand) full and protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire exposed surfaces and to protect personnel. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil over. Prevent run off from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.

## **SECTION 6: ACCIDENTIAL RELEASE MEASURES**

**Spills:** Before cleaning any spill or leak, individual involved in a spill cleanup must wear appropriate Personal Protective Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills.

**Small Spills:** Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Do not use water or a material such as “speed dry” to soak up material. Sweep up material using non-sparking materials (e.g., plastic brooms, shovels, dustpans) and place into a plastic container or plastic liner within another container.

**Large Spills:** Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant.

## **SECTION 7: HANDLING AND STORAGE**

### 7.1 Work & Hygiene Practices:

Do not eat, drink or smoke when handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.

### 7.2 Storage & Handling:

Use and store in a cool, dry, well-ventilated location (e.g., exhaust ventilation fans) away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Storage level 1.

### 7.3 Special Precautions:

Spilled material presents a slipping hazard if left unattended. Clean all spills promptly.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 Exposure Limits ppm (mg/m<sup>3</sup>)

| Chemical Name(s)         | ACGIH |          | NOHSC  |         |         | OSHA     |          |          | other |
|--------------------------|-------|----------|--------|---------|---------|----------|----------|----------|-------|
|                          | TLV   | STE L    | ES-TWA | ES-STEL | ES-PEAK | PEL      | STE L    | IDL H    |       |
| Ethanol (SD Alcohol(40B) | 1000  | 300<br>0 | 1000   | 1800    | NF      | 100<br>0 | 190<br>0 | 330<br>0 |       |
| Difluoroethane (R-152a)  | 1000  | NA       | 1000   | NA      | NA      | NE       | NA       | NA       |       |
| Isobutane                | 600   | 750      | NF     | NF      | NA      | NA       | NA       | NA       |       |



## 8.2 Ventilation & Engineering Controls:

General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product.

## 8.3 Respiratory Protection:

No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR 1910.134, applicable U.S. State regulations, or the Canadian CAS standard Z94.4-93 and applicable standards of Canadian Provinces, EC member states, or Australia.

## 8.4 Eye Protection:

Avoid eye contact. None required under normal conditions of use. Safety glasses could be used when handling or using large quantities of this product.

## 8.5 Hand Protection:

None required under normal conditions of use. However may cause skin irritation in some sensitive individuals. When handling large quantities (e.g.,  $\geq 1$  gallon (3.8L)), wear rubber, nitrile or impervious plastic gloves.

## 8.6 Body Protection:

No apron needed when handling small quantities. When handling large quantities (e.g.,  $\geq 5$  lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.



## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

|   |   |
|---|---|
| <b>9.1 Appearance:</b>                          | Aerosol, Clear Misty Spray Liquid   |
| <b>9.2 Odor:</b>                                | Fresh Floral  |
| <b>9.3 Odor Threshold:</b>                      | NA  |
| <b>9.4 pH:</b>                                  | NA  |
| <b>9.5 Melting Point / Freezing Point:</b>      | NA  |
| <b>9.6 Initial Boiling Point/Boiling Point:</b> | NA  |
| <b>9.7 Flash Point (°C):</b>                    | -30 °F (-34 °C) TCC for propellant only 35.6 °F (2 °C) EPA method 1010 Concentrate only |
| <b>9.8 Upper/lower Flammability Limits:</b>     | NA  |
| <b>9.9 Vapor Pressure:</b>                      | @ 20 °C (68 °F) - Can pressure not to exceed 180 psig @ 55 °C (131 °F) 12.4 bar         |
| <b>9.10 Vapor Density:</b>                      | > 1   |
| <b>9.11 Relative Density:</b>                   | 0.83 – 0.85   |
| <b>9.12 Solubility:</b>                         | Soluble   |
| <b>9.13 Partition Coefficient (log PG ow):</b>  | NA  |
| <b>9.14 Autoignition Temperature:</b>           | NA  |
| <b>9.15 Decomposition Temperature:</b>          | NA  |
| <b>9.16 Viscosity:</b>                          | Aerosol at ambient temperature  |
| <b>9.17 Other Information:</b>                  | Evaporation rate > 1: Percent Volatile 55% VOC  |

## **SECTION 10: STABILITY AND REACTIVITY**

### **10.1 Stability:**

Stable at normal temperatures.

### **10.2 Hazardous Decomposition Products:**

Oxides of carbon (CO, CO<sub>2</sub>) and sulfur (SO<sub>2</sub>)

### **10.3 Hazardous Polymerization:**

Will not occur

### **10.4 Conditions to avoid**

Excessive heat, direct sunlight, flames, heat sources and incompatible substances

### **10.5 Incompatible substances:**

Mixture with strong acids, alkalis or oxidizers

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **11.1 Routes of Entry:**

Ingestion: YES

Inhalation: YES

Absorption: YES

### **11.2 Toxicity data:**

This Product was not tested on animals. Toxicology data, found in scientific literature is available for some of the components of the product and is presented below: Hydrofluorocarbon 152a: LC50 (Inh, 2h, mouse): 977g/m<sup>3</sup>

### **11.3 Acute Toxicity:**

See section 4.4

### **11.4 Chronic Toxicity:**

See section 4.5

### **11.5 Suspected Carcinogen:**

No

### **11.6 Reproductive Toxicity:**

humans.

This product is not reported to cause reproductive toxicity in

#### **Mutagenicity:**

humans.

This product is not reported to produce mutagenic effects in

#### **Embryotoxicity:**

humans.

This product is not reported to produce embryotoxic effects in

#### **Teratogenicity:**

humans.

This product is not reported to cause teratogenic effects in

#### **Reproductive Toxicity:**

humans.

This product is not reported to cause reproductive effects in

### **11.7 Irritancy of Product:**

See section 4.3

### **11.8 Biological Exposures indices:**

NE

### **11.9 Physician Recommendations:**

Treat symptomatically

## **SECTION 12: ECOLOGICAL INFORMATION**

### **12.1 Environmental Stability:**

There is no specific data available for this product.

### **12.2 Effects on Plants & Animals:**

There is no specific data available for this product.

### **12.3 Effects on Aquatic Life:**

This product itself has not been tested as a whole. There is no specific data available for this product.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### **13.1 Waste Disposal:**

Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredient listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. A licensed facility or waste hauler must provide treatment, transport, storage and disposal of hazardous waste.

### **13.2 Special Considerations:** U.S. EPA Hazardous waste – Characteristic- Ignitable (D001)

## **SECTION 14: TRANSPORT INFORMATION**

The basic description (ID number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

- |                                 |  |
|---------------------------------|--|
| <b>14.1 49 CFR (GND):</b>       | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1.0 L) - until 12/31/2020                     |
| <b>14.2 IATA (AIR)</b>          | UN 1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL ≤ 0.5 L); or ID8000, CONSUMER COMMODITY, ORM-D (IP VOL ≤ 0.5 L)                     |
| <b>14.3 IMDG (OCN):</b>         | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)   |
| <b>14.4 TDGR (CANADIAN GND)</b> | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or MARK PACKAGE "LIMITED QUANTITY," "LTD QTY," or "QUANT LTÉE" or "QUANTITE LIMITÉE" |
| <b>14.5 ADR/RID (EU):</b>       | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)   |
| <b>14.6 SCT (MEXICO):</b>       | UN 1950, AEROSOLS, 2.1 (CANTIDAD LIMITADA, IP VOL ≤ 1.0 L)   |
| <b>14.7 ADGR (AUS):</b>         | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)   |



## **SECTION 15: REGULATORY INFORMATION**

- 15.1 SARA Reporting Requirements:** This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.
- 15.2 SARA Threshold Planning Quantity:** There are no specific Threshold Planning Quantities for the components of this product.
- 15.3 TSCA Inventory Status:** The components of this product are listed in the TSCA Inventory.
- 15.4 CERCLA Reportable Quantity (RQ):** NA
- 15.5 Other Federal Requirements:** This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics)
- 15.6 Other Canadian Regulations:** This product has been classified according to the hazard criteria of the CPR and MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class B5 (Flammable Aerosol).



## 15.7 State Regulatory Information:

**Isopentane:** is found on the following state criteria lists: Massachusetts Hazardous Substances List (MA), Pennsylvania Right-to-know List (PA). New Jersey Right-to-know List (NJ).

**Hydrofluorocarbon 152a:** is found on the following state criteria list: MA and NJ

**Dimethyl Ether:** is found on the following state criteria lists: FL, MA, MN, and PA.

No other ingredients in this product, present in concentration of 1.0% or greater are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances Lists (MN) New Jersey Right-to-know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-know List (PA), and Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).

## 15.8 Other Requirements:

The primary components of this product are listed in Annex I of EU Directive 67/548/EEC.

**Dimethyl Ether :** Extremely Flammable (F+). Risk Phrases (R):12- Extremely Flammable, Safety Phrases (S): 2-9-16- 33- Keep out of reach of children. Keep container in a well-Ventilated place. Keep away from sources of ignition – No Smoking.



**Isopentane:** Harmful (Xn). Risk Phrases: (R): 65 - Harmful: may cause lung damage if swallowed Safety Phrases: (S): 2-9-29-62 - Keep out of reach of children. Keep container in well-ventilated place. Do not empty into drains. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible

## SECTION 16: OTHER INFORMATION

### 16.1 Other Information:

**WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED. HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION.**

Keep away from heat, sparks, open flames and/or other ignition sources. No Smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing vapor/spray. Wash thoroughly with soap and water after handling. Use only in a well-ventilated area. Wear eye protection. Protect from sunlight. Do not expose to temperatures exceeding 50 °C (122 °F). IF INHALED: remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention. **KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.**

**16.2 Terms & Definitions:** See last page of this Safety Data Sheet

### 16.3 Disclaimer:

This Safety Data sheet is offered pursuant to OSHA's Hazard Communication Standard 29 CFR 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Sexy Hair Concepts, LLC knowledge, the information contained herein is reliable and accurate as of this date; however accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

**GENERAL INFORMATION:**

|         |                                  |
|---------|----------------------------------|
| CAS No. | Chemical Abstract Service Number |
|---------|----------------------------------|

**EXPOSURE LIMITS IN AIR:**

|       |   |
|-------|---|
| ACGIH | American Conference on Governmental Industrial Hygienists |
| C     | Ceiling Limit   |
| ES    | Exposure Standard (Australia)                             |
| IDLH  | Immediately Dangerous to Life and Health                  |
| OSHA  | U.S. Occupational Safety and Health Administration        |
| PEL   | Permissible Exposure Limit                                |
| STEL  | Short-Term Exposure Limit                                 |
| TLV   | Threshold Limit Value                                     |
| TWA   | Time Weighted Average                                     |

**FIRST AID MEASURES:**

|     |  |
|-----|--|
| CPR | Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body. |
|-----|--|

**HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

|   |                 |
|---|-----------------|
| 0 | Minimal Hazard  |
| 1 | Slight Hazard   |
| 2 | Moderate Hazard |
| 3 | Severe Hazard   |
| 4 | Extreme Hazard  |

|                     |
|---------------------|
| HEALTH              |
| FLAMMABILITY        |
| PHYSICAL HAZARDS    |
| PERSONAL PROTECTION |

**PERSONAL PROTECTION RATINGS:**

|   |  |   |  |
|---|--|---|--|
| A |  | G |  |
| B |  | H |  |
| C |  | I |  |
| D |  | J |  |
| E |  | K |  |
| F |  | X | Consult your supervisor or SOPs for special handling directions. |

|                      |                                   |                                  |                           |
|----------------------|-----------------------------------|----------------------------------|---------------------------|
|                      |                                   |                                  |                           |
| Safety Glasses       | Splash Goggles                    | Face Shield & Protective Eyewear | Gloves                    |
|                      |                                   |                                  |                           |
| Boots                | Synthetic Apron                   | Protective Clothing & Full Suit  | Dust Respirator           |
|                      |                                   |                                  |                           |
| Full Face Respirator | Dust & Vapor Half-Mask Respirator | Full Face Respirator             | Airline Hood/Mask or SCBA |

**OTHER STANDARD ABBREVIATIONS:**

|       |                                    |
|-------|------------------------------------|
| ML    | Maximum Limit                      |
| mg/m3 | milligrams per cubic meter         |
| NA    | Not Available                      |
| ND    | Not Determined                     |
| NE    | Not Established                    |
| NF    | Not Found                          |
| NR    | No Results                         |
| ppm   | parts per million                  |
| SCBA  | Self-Contained Breathing Apparatus |

**NATIONAL FIRE PROTECTION ASSOCIATION: NFPA****FLAMMABILITY LIMITS IN AIR:**

|                          |   |
|--------------------------|---|
| Autoignition Temperature | Minimum temperature required to initiate combustion in air with no other source of ignition   |
| LEL                      | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source  |
| UEL                      | Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |

**HAZARD RATINGS:**

|         |                 |
|---------|-----------------|
| 0       | Minimal Hazard  |
| 1       | Slight Hazard   |
| 2       | Moderate Hazard |
| 3       | Severe Hazard   |
| 4       | Extreme Hazard  |
| ACD     | Acidic          |
| ALK     | Alkaline        |
| COR     | Corrosive       |
| W       | Use No Water    |
| OX      | Oxidizer        |
| TREFOIL | Radioactive     |

**TOXICOLOGICAL INFORMATION:**

|  |  |
|--|--|
| LD <sub>50</sub>   | Lethal Dose (solids & liquids) w                                   |
| LC <sub>50</sub>   | Lethal concentration (gases) which kills 50% of the exposed animal |
| ppm  | Concentration expressed in parts of material per million parts     |
| TD <sub>01</sub>   | Lowest dose to cause a symptom                                     |
| TCLO   | Lowest concentration to cause a symptom                            |
| TD <sub>01</sub> , LD <sub>01</sub> , & LD <sub>50</sub> or TC, TC <sub>01</sub> , LC <sub>01</sub> , & LC <sub>50</sub> | Lowest dose (or concentration) to cause lethal or toxic effects    |
| IARC   | International Agency for Research on Cancer                        |
| NTP  | National Toxicology Program  |
| RTECS  | Registry of Toxic Effects of Chemical Substances                   |
| BCF  | Bioconcentration Factor  |
| TL <sub>01</sub>   | Median threshold limit   |
| log K <sub>OW</sub> or log K <sub>OC</sub>   | Coefficient of Oil/Water Distribution                              |

**REGULATORY INFORMATION:**

|          |   |
|----------|---|
| WHMIS    | Canadian Workplace Hazardous Material Information System                        |
| DOT      | U.S. Department of Transportation   |
| TC       | Transport Canada  |
| EPA      | U.S. Environmental Protection Agency  |
| DSL      | Canadian Domestic Substance List  |
| NOHSC    | National Occupational Health and Safety Commission (Australia)                  |
| NDSL     | Canadian Non-Domestic Substance List  |
| PSL      | Canadian Priority Substances List   |
| TSCA     | U.S. Toxic Substance Control Act  |
| EU       | European Union (European Union Directive 67/548/EEC)                            |
| WGK      | Wassergefährdungsklassen (German Water Hazard Class)                            |
| HMIS-III | National Paint & Coatings Association Hazardous Materials Identification System |

**WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:**

|            |           |           |          |            |            |           |          |
|------------|-----------|-----------|----------|------------|------------|-----------|----------|
|            |           |           |          |            |            |           |          |
| Class A    | Class B   | Class C   | Class D1 | Class D2   | Class D3   | Class E   | Class F  |
| Compressed | Flammable | Oxidizing | Toxic    | Irritation | Infectious | Corrosive | Reactive |

**EC (67/548/EEC) INFORMATION:**

|           |           |           |         |           |       |          |         |
|-----------|-----------|-----------|---------|-----------|-------|----------|---------|
|           |           |           |         |           |       |          |         |
| C         | E         | F         | N       | O         | T     | Xi       | Xn      |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

**CLP/GHS (1272/2008/EC) PICTOGRAMS:**

|           |           |          |             |           |       |                    |               |             |
|-----------|-----------|----------|-------------|-----------|-------|--------------------|---------------|-------------|
|           |           |          |             |           |       |                    |               |             |
| GHS01     | GHS02     | GHS03    | GHS04       | GHS05     | GHS06 | GHS07              | GHS08         | GHS09       |
| Explosive | Flammable | Oxidizer | Pressurized | Corrosive | Toxic | Harmful Irritating | Health Hazard | Environment |





# Safety Data Sheet

## Healthy Sexy Hair Styling Paste

### **SECTION 1: IDENTIFICATION**

**MSDS FIRST PREPARATION DATE:** May 12, 2017

**FORMULA:** 36646-00 / MLN-041217-A

**GENERIC/CHEMICAL NAME:** N/A

**PRODUCT TYPE/CHEMICAL FAMILY:** Personal Care Product

**PRODUCT CODE:** N/A

**SYNONYMS:** None

**CONTACT ADDRESS:** Sexy Hair Concepts, LLC 21551 Prairie St. Chatsworth, CA 91311

### **EMERGENCY PHONE NUMBERS:**

CHEMTREC: Domestic North America 800-424-9300; For Information: 818-206-6700

### **SECTION 2: HAZARDS IDENTIFICATION**

**GHS Classification (According to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910.1200) :**

No Need for classification according to GHS criteria.

### **GHS Label Element:**

The product does not require a hazard warning label in accordance with GHS criteria

**Symbol:** No needed according to classification criteria.

**Signal Word:** No needed according to classification criteria.

**Hazard Statement:** No needed according to classification criteria.

**Precautionary Statement:** No needed according to classification criteria.

### **Other Hazards which do not result in classification**

**Inhalation:** Slight nasal irritation may occur

**Skin Contact:** May be irritating to extra-sensitive skin.

**Eye Contact:** May cause mechanical irritation.

**Ingestion:** Harmful if swallowed. May cause gastrointestinal irritation.

**Chronic effects and medical conditions aggravated by overexposure:**

Chronic effects and medical conditions aggravated by overexposure to this product have been not established. Unnecessary exposure to this product or any chemical should be avoided.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **3.1 Emergency Overview:**

The identity of individual components of this mixture is proprietary information and regarded to be a trade secret. However, based on the health hazard determination of contained ingredients present, this mixture presents the following health hazard(s):

| Hazardous Components | % Range | CAS NO. | OSHA PEL | ACGIH TLV |
|----------------------|---------|---------|----------|-----------|
| N/A                  | N/A     | N/A     | N/A      | N/A       |

#### **SECTION 4: FIRST AID MEASURES**

|                    |  |
|--------------------|--|
| <b>Inhalation:</b> | If inhaled, remove to fresh air. Get medical attention if symptoms occur.  |
| <b>Skin:</b>       | If irritation is experienced, wash exposed area thoroughly with water. If irritation persists, get medical assistance. |
| <b>Eyes:</b>       | Flush with plenty of water for 15 minutes, if irritation persists, get medical assistance.                             |
| <b>Ingestion:</b>  | Do not induce vomiting, drink 3-4 glasses of water. Get prompt medical attention.                                      |

#### **SECTION 5: FIRE FIGHTING MEASURES**

|  |  |
|--|--|
| <b>Flammability Classification:</b>        | Not flammable  |
| <b>Flash Point:</b>                        | Not applicable   |
| <b>Extinguishing Media:</b>                | Foam, CO <sub>2</sub> , water, fog, sand/earth.  |
| <b>Unusual Fire And Explosion Hazards:</b> | Not applicable.  |
| <b>Special Fire Fighting Procedures:</b>   | Must wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire and exposed container with water spray. |

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

##### **Steps To Be Taken In Case Material Is Released Or Spilled:**

Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand or earth.

##### **Disposal Method:**

Sweep up and dispose of in accordance with Federal, State and local regulations.

#### **SECTION 7: HANDLING AND STORAGE**

|                             |  |
|-----------------------------|--|
| <b>Usage Precautions:</b>   | Use as directed.   |
| <b>Storage Precautions:</b> | Protect containers against physical damage. Keep closed until used. Store in a dry place at ambient temperatures. Keep out of reach of children. |
| <b>Other Precaution:</b>    | Caution! Spilled material is slippery.   |

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

|                                 |   |
|---------------------------------|---|
| <b>Engineering Control:</b>     | Not required.   |
| <b>Respiration Protection:</b>  | Not applicable.   |
| <b>Protective Gloves:</b>       | Not required.   |
| <b>Eye And Face Protection:</b> | Not required.   |
| <b>Hygienic Work Practices:</b> | No special practices noted. No eating or drinking while working with this material. |

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Boiling range :** Not determined.  
**Vapor Density:** ☒ Heavier ☐ Lighter Than Air  
**Evaporation Rate:** ☐ Faster ☒ Slower, Than Ether  
**Appearance:** Opaque Viscous Paste  
**Odor/Taste:** Citrus  
**Solubility In Water:** Miscible  
**pH (range):** 5.00-6.00  
**Specific Gravity:** 0.96  
**Viscosity (range):** N/A

## **SECTION 10: STABILITY AND REACTIVITY**

**Stability:** ☐ Unstable ☒ Stable  
**Incompatibility (Materials To Avoid):** Strong acids and oxidizing agents.  
**Hazardous Decomposition Products:** May produce toxic fumes of oxides of carbon, sulfur and Nitrogen; ammonia.  
**Hazardous Polymerization:** ☐ May Occur ☒ Will Not Occur  
**Conditions To Avoid:** Extreme temperatures.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

The product has not been tested for specific toxicity data. This product has not been tested on animals.

**Carcinogenicity:** This information is not available.

**Reproductive toxicity:** No Data Available

**STOT-Single exposure:** No Data Available

**STOT-Repeated exposure:** No Data Available

**Aspiration toxicity:** No Data Available

## **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity:** No Data Available

**Persistence and degradability:** No Data Available

**Bioaccumulative potential:** No Data Available

**Other Adverse Effects:** No Data Available

## **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Method:** Collect and dispose of in accordance with Federal, State and local laws and regulations. This product is not classified as an equitable hazardous waste.



## **SECTION 14: TRANSPORT INFORMATION**

**DOT Classification:** Not regulated.

## **SECTION 15: REGULATORY INFORMATION**

**TSCA:** Not applicable.

**California Proposition 65:** Not applicable

**SARA, Title III, Section 313 (40CFR 372):** Not applicable.

**SARA 302/304/311/312 extremely hazardous substances:** No listed substance

## **SECTION 16: OTHER INFORMATION**

| SEXY HAIR – HEALTHY<br>STYLING PASTE |   |
|--------------------------------------|---|
| HEALTH                               | 0 |
| FLAMMABILITY                         | 0 |
| REACTIVITY                           | 0 |

**Revision :** N/A

### **Disclaimer:**

The information contained in this Material Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on its own studies and on the work of others, and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, or adequacy of the information herein. It is intended to assist in the normal safe usage of the product.

**GENERAL INFORMATION:**

|                                |   |
|--------------------------------|---|
| CAS No.                        | Chemical Abstract Service Number                          |
| <b>EXPOSURE LIMITS IN AIR:</b> |   |
| ACGIH                          | American Conference on Governmental Industrial Hygienists |
| C                              | Ceiling Limit   |
| ES                             | Exposure Standard (Australia)                             |
| IDLH                           | Immediately Dangerous to Life and Health                  |
| OSHA                           | U.S. Occupational Safety and Health Administration        |
| PEL                            | Permissible Exposure Limit                                |
| STEL                           | Short-Term Exposure Limit                                 |
| TLV                            | Threshold Limit Value                                     |
| TWA                            | Time Weighted Average                                     |

**FIRST AID MEASURES:**

|     |  |
|-----|--|
| CPR | Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body. |
|-----|--|

**HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

|   |                 |
|---|-----------------|
| 0 | Minimal Hazard  |
| 1 | Slight Hazard   |
| 2 | Moderate Hazard |
| 3 | Severe Hazard   |
| 4 | Extreme Hazard  |

|                     |
|---------------------|
| HEALTH              |
| FLAMMABILITY        |
| PHYSICAL HAZARDS    |
| PERSONAL PROTECTION |

**PERSONAL PROTECTION RATINGS:**

|   |  |   |  |
|---|--|---|--|
| A |  | G |  |
| B |  | H |  |
| C |  | I |  |
| D |  | J |  |
| E |  | K |  |
| F |  | X | Consult your supervisor or SOPs for special handling directions. |

|                      |                                   |                                  |                           |
|----------------------|-----------------------------------|----------------------------------|---------------------------|
| Safety Glasses       | Splash Goggles                    | Face Shield & Protective Eyewear | Gloves                    |
| Boots                | Synthetic Apron                   | Protective Clothing & Full Suit  | Dust Respirator           |
| Full Face Respirator | Dust & Vapor Half-Mask Respirator | Full Face Respirator             | Airline Hood/Mask or SCBA |

**OTHER STANDARD ABBREVIATIONS:**


|                   |                                    |
|-------------------|------------------------------------|
| ML                | Maximum Limit                      |
| mg/m <sup>3</sup> | milligrams per cubic meter         |
| NA                | Not Available                      |
| ND                | Not Determined                     |
| NE                | Not Established                    |
| NF                | Not Found                          |
| NR                | No Results                         |
| ppm               | parts per million                  |
| SCBA              | Self-Contained Breathing Apparatus |

**NATIONAL FIRE PROTECTION ASSOCIATION: NFPA****FLAMMABILITY LIMITS IN AIR:**

|                          |   |
|--------------------------|---|
| Autoignition Temperature | Minimum temperature required to initiate combustion in air with no other source of ignition   |
| LEL                      | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source  |
| UEL                      | Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |

**HAZARD RATINGS:**

|         |                 |
|---------|-----------------|
| 0       | Minimal Hazard  |
| 1       | Slight Hazard   |
| 2       | Moderate Hazard |
| 3       | Severe Hazard   |
| 4       | Extreme Hazard  |
| ACD     | Acidic          |
| ALK     | Alkaline        |
| COR     | Corrosive       |
| W       | Use No Water    |
| OX      | Oxidizer        |
| TREFOIL | Radioactive     |

**TOXICOLOGICAL INFORMATION:**

|  |  |
|--|--|
| LD <sub>50</sub>   | Lethal Dose (solids & liquids) w/s                                 |
| LC <sub>50</sub>   | Lethal concentration (gases) which kills 50% of the exposed animal |
| ppm  | Concentration expressed in parts of material per million parts     |
| TD <sub>01</sub>   | Lowest dose to cause a symptom                                     |
| TCLO   | Lowest concentration to cause a symptom                            |
| TD <sub>01</sub> , LD <sub>01</sub> , & LD <sub>50</sub> or TC, TC <sub>01</sub> , LC <sub>01</sub> , & LC <sub>50</sub> | Lowest dose (or concentration) to cause lethal or toxic effects    |
| IARC   | International Agency for Research on Cancer                        |
| NTP  | National Toxicology Program  |
| RTECS  | Registry of Toxic Effects of Chemical Substances                   |
| BCF  | Bioconcentration Factor  |
| TL <sub>m</sub>  | Median threshold limit   |
| log K <sub>OW</sub> or log K <sub>OC</sub>   | Coefficient of Oil/Water Distribution                              |

**REGULATORY INFORMATION:**

|          |   |
|----------|---|
| WHMIS    | Canadian Workplace Hazardous Material Information System                        |
| DOT      | U.S. Department of Transportation   |
| TC       | Transport Canada  |
| EPA      | U.S. Environmental Protection Agency  |
| DSL      | Canadian Domestic Substance List  |
| NOHSC    | National Occupational Health and Safety Commission (Australia)                  |
| NDSL     | Canadian Non-Domestic Substance List  |
| PSL      | Canadian Priority Substances List   |
| TSCA     | U.S. Toxic Substance Control Act  |
| EU       | European Union (European Union Directive 67/548/EEC)                            |
| WGK      | Wassergefährdungsklassen (German Water Hazard Class)                            |
| HMIS-III | National Paint & Coatings Association Hazardous Materials Identification System |

**WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:**

|            |           |           |          |          |            |           |          |
|------------|-----------|-----------|----------|----------|------------|-----------|----------|
|            |           |           |          |          |            |           |          |
| Class A    | Class B   | Class C   | Class D1 | Class D2 | Class D3   | Class E   | Class F  |
| Compressed | Flammable | Oxidizing | Toxic    | Irritant | Infectious | Corrosive | Reactive |

**EC (67/548/EEC) INFORMATION:**

|           |           |           |         |           |       |          |         |
|-----------|-----------|-----------|---------|-----------|-------|----------|---------|
|           |           |           |         |           |       |          |         |
| C         | E         | F         | N       | O         | T     | Xi       | Xn      |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

**CLP/GHS (1272/2008/EC) PICTOGRAMS:**

|           |           |          |             |           |       |                    |               |             |
|-----------|-----------|----------|-------------|-----------|-------|--------------------|---------------|-------------|
|           |           |          |             |           |       |                    |               |             |
| GHS01     | GHS02     | GHS03    | GHS04       | GHS05     | GHS06 | GHS07              | GHS08         | GHS09       |
| Explosive | Flammable | Oxidizer | Pressurized | Corrosive | Toxic | Harmful Irritating | Health Hazard | Environment |

# Safety Data Sheet

## Big Sexy Hair Root Pump - International

### **SECTION 1: IDENTIFICATION**

**MSDS FIRST PREPARATION DATE:** October 21, 2014

**FORMULA:** L32596

**GENERIC/CHEMICAL NAME:** N/A

**PRODUCT TYPE/CHEMICAL FAMILY:** Personal Care Product

**PRODUCT CODE:** N/A

**SYNONYMS:** Root Pump EU 16% VOC

**CONTACT ADDRESS:** Sexy Hair Concepts, LLC. 21551 Prairie St. Chatsworth, CA 91311

### **EMERGENCY PHONE NUMBERS:**

CHEMTEL: +1 (813) 248-0585 / +1 (888) 255-3924 (CN – MIS0002907)

### **SECTION 2: HAZARDS IDENTIFICATION**

This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia).

**WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINERS: MAY BURST IF HEATED. CAUSES EYE IRRITATION.**

**Classification:** Aerosols 2; Eye Irrit, 2

### **Hazard statements (H):**

|      |  |
|------|--|
| H223 | Flammable Aerosol                          |
| H229 | Pressurized container: may burst if heated |
| H320 | Causes eye irritation                      |



### **Precautionary statements (P):**

|                |  |
|----------------|--|
| P210           | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                     |
| P211           | Do not spray on an open flame or other ignition source.  |
| P251           | Do not pierce or burn, even after use  |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove Contact lenses if present and easy to do so. Continue rinsing. |
| P337+P313      | If eye irritation persists: Get medical advice/attention   |
| P410 + P412    | Protect from sun light. Do not expose to temperature exceeding 50 °C/122 °F.   |
| P501           | Dispose of contents/containers to licensed and permitted disposal or recycling facility.   |

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **Composition:**

| Chemical Name (s) | CAS No.                         | RTECS No. | EINECS No. | %    | Exposure Limits in Air (mg/m³) |      |        |         |         |      |      |      | Other |
|-------------------|---------------------------------|-----------|------------|------|--------------------------------|------|--------|---------|---------|------|------|------|-------|
|                   |                                 |           |            |      | ACGIH                          |      | NOHSC  |         |         | OSHA |      |      |       |
|                   |                                 |           |            |      | ppm                            |      | ppm    |         |         | ppm  |      |      |       |
|                   |                                 |           |            |      | TLV                            | STEL | ES-TWA | ES-STEL | ES-PEAK | PEL  | STEL | IDLH |       |
| Dimethyl Ether    | 115-10-6                        | NA        | 204-065-8  | 5-20 | NA                             | NA   | 400    | 760     | NF      | NA   | NA   | NA   |       |
|                   | Flam.Gas 1; Gas; H220           |           |            |      |                                |      |        |         |         |      |      |      |       |
| Propane           | 74-98-6                         | TX2275000 | 200827-9   | 1-5  | 1000                           | NA   | 1000   | NA      | NA      | 1000 | NA   | 2100 |       |
|                   | Flam.gas 1; H220                |           |            |      |                                |      |        |         |         |      |      |      |       |
| Isobutane         | 75-28-5                         | TZ4300000 | 200-857-2  | 1-5  | 600                            | 750  | NF     | NA      | NA      | NA   | NA   | NA   |       |
|                   | Press. Gas 1; Flam. Gas 1, H220 |           |            |      |                                |      |        |         |         |      |      |      |       |

## **SECTION 4: FIRST AID MEASURES**

### **4.1 First Aid:**

- Ingestion:** If ingested do not induce vomiting! If product has been swallowed drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of substance that was swallowed.
- Skin:** If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately.
- Eyes:** If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Raise and lower eyelid(s) while flushing to ensure thorough irrigation. If problem persist seek immediate medical attention.
- Inhalation:** In the event of massive inhalation Remove Victim to fresh air and keep comfortable for breathing.

### **4.2 Effects of Exposure:**

- Ingestion:** If product is swallowed, may cause vomiting and/or diarrhea and central nervous system depression.
- Eyes:** Moderately irritating to the eyes.
- Skin:** May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals upon prolonged or repeated exposure.
- Inhalation:** Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of concentrated vapors can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea).

### 4.3 Symptoms of Overexposure:

- Ingestion:** May cause vomiting and/or diarrhea and central nervous system depression.
- Eyes:** Overexposure in eyes may cause redness; itching and watering (risk of serious damage to eyes). Contact may cause mild eye irritation including stinging, watering and redness.
- Skin:** Prolonged contact with skin may result in bleaching and irritation of skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas.
- Inhalation:** Symptoms of overexposure may include coughing, wheezing, nasal congestion, and difficulty breathing.

### 4.4 Acute Health Effects:

Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.

### 4.5 Chronic Health Effects:

No harmful or chronic health effects are expected to occur from a single accidental ingestion. These ingredients may be irritating to the skin and mucous membrane of the eye and respiratory system. Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis.

### 4.6 Target Organs:

Eyes, skin, respiratory system.

### 4.7 Medical Conditions Aggravated by Exposure:

Acute health hazards may be delayed. Most common symptoms include irritating properties to eyes, respiratory system and skin. Existing dermatological conditions (such as eczema) and respiratory conditions (such as bronchial asthma and/or bronchitis) may be exacerbated.

|                             |            |          |
|-----------------------------|------------|----------|
| <b>HEALTH</b>               |            | <b>1</b> |
| <b>FLAMMABILITY</b>         |            | <b>4</b> |
| <b>PHYSICAL HAZARDS</b>     |            | <b>0</b> |
| <b>PROTECTIVE EQUIPMENT</b> |            | <b>B</b> |
| <b>EYES</b>                 | <b>CNS</b> |          |


## **SECTION 5: FIRE FIGHTING MEASURES**

### 5.1 Fire & Explosion hazards:

Level 1 Aerosol (NFPA 30B), Aerosols may burst at temperatures above 120 °F. Cool uninvolved containers to prevent possible bursting. Aerosols may be projectile hazards when bursting. If aerosols are bursting, stay clear until bursting is complete. Containers may rupture and release flammable liquids or exposed gasses if exposed to the heat of fire. Keep containers cool by spraying them with water until the fire has been extinguished.

### 5.2 Extinguishing Methods:

Water Fog, Foam, Dry Chemical, CO<sub>2</sub>



### **5.3 Firefighting Procedures**

As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure demand) full and protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire exposed surfaces and to protect personnel. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil over. Prevent run off from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH- approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.

## **SECTION 6: ACCIDENTIAL RELEASE MEASURES**

**Spills:** Before cleaning any spill or leak, individual involved in a spill cleanup must wear appropriate Personal Protective Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills.

**Small Spills:** Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Do not use water or a material such as “speed dry” to soak up material. Sweep up material using non-sparkling materials (e.g., plastic brooms, shovels, dustpans) and place into a plastic container or plastic liner within another container.

**Large Spills:** Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1 Work & Hygiene Practices:**

Do not eat, drink or smoke when handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.

### **7.2 Storage & Handling:**

Use and store in a cool, dry, well-ventilated location (e.g., exhaust ventilation fans) away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Storage level 1

### **7.3 Special Precautions:**

Spilled material presents a slipping hazard if left unattended. Clean all spills promptly.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1 Exposure Limits ppm (mg/m<sup>3</sup>)**

| Chemical Name(s) | ACGIH |       | NOHSC  |         |         | OSHA |       |      | other |
|------------------|-------|-------|--------|---------|---------|------|-------|------|-------|
|                  | TLV   | STE L | ES-TWA | ES-STEL | ES-PEAK | PEL  | STE L | IDLH |       |
| Dymethyl Ether   | NA    | NA    | 400    | 760     | NF      | NA   | NA    | NA   |       |
| Propane          | 1000  | NA    | 1000   | NA      | NF      | 1000 | NA    | 2100 |       |
| Isobutane        | 600   | 750   | NF     | NF      | NF      | NF   | NA    | NA   |       |

### **8.2 Ventilation & Engineering Controls:**

General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product.

### **8.3 Respiratory Protection:**

No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR 1910.134, applicable U.S State regulations, or the Canadian CAS standard Z94.4-93 and applicable standards of Canadian Provinces, EC member states, or Australia.

### **8.4 Eye Protection:**

Avoid eye contact. None required under normal conditions of use. Safety glasses could be used when handling or using large quantities of this product.



### **8.5 Hand Protection:**

None required under normal conditions of use. However may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8L)), wear rubber, nitrite or impervious plastic gloves.

### **8.6 Body Protection:**

No apron needed when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

- 9.1 Appearance:** Aerosol, Foaming Spray  
**9.2 Odor:** Fresh Floral  
**9.3 Odor Threshold:** NA  
**9.4 pH:** NA  
**9.5 Melting Point / Freezing Point:** NA  
**9.6 Initial Boiling Point/Boiling Point:** NA  
**9.7 Flash Point (°C):** -30 °F (-34 °C) TCC for propellant only  
**9.8 Upper/lower Flammability Limits:** NA  
**9.9 Vapor Pressure:** @ 20 °C (68 °F) - Can pressure not to exceed 180 psig @ 55 °C (131 °F) 12.4 bar  
**9.10 Vapor Density:** > 1  
**9.11 Relative Density:** 0.83 – 0.85

|  |  |
|--|--|
| <b>9.12 Solubility:</b>                        | Soluble  |
| <b>9.13 Partition Coefficient (log PG ow):</b> | NA   |
| <b>9.14 Autoignition Temperature:</b>          | NA   |
| <b>9.15 Decomposition Temperature:</b>         | NA   |
| <b>9.16 Viscosity:</b>                         | Aerosol at ambient temperature                 |
| <b>9.17 Other Information:</b>                 | Evaporation rate > 1: Percent Volatile 16% VOC |

## **SECTION 10: STABILITY AND REACTIVITY**

### **10.1 Stability:**

Stable at normal temperatures.

### **10.2 Hazardous Decomposition Products:**

Oxides of carbon (CO, CO<sub>2</sub>) and sulfur (SO<sub>2</sub>)

### **10.3 Hazardous Polymerization:**

Will not occur

### **10.4 Conditions to avoid**

Excessive heat, direct sunlight, flames, heat sources and incompatible substances

### **10.5 Incompatible substances:**

Mixture with strong acids, alkalis or oxidizers

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **11.1 Routes of Entry:**

Inhalation: YES

Absorption: YES

Ingestion: YES

### **11.2 Toxicity data:**

This Product was not tested on animals. Toxicology data, found in scientific literature is available for some of the components of the product and is presented below: LD<sub>50</sub> (Inhalation, rat):  
>800,000 mg/kg

### **11.3 Acute Toxicity:**

See section 4.4

### **11.4 Chronic Toxicity:**

See section 4.5

### **11.5 Suspected Carcinogen:**

No

### **11.6 Reproductive Toxicity:**

This product is no reported to cause reproductive toxicity in humans.

#### **Mutagenicity:**

This product is no reported to produce mutagenic effects in humans.

#### **Embryotoxicity:**

This product is no reported to produce embryotoxic effects in humans.

#### **Teratogenicity:**

This product is no reported to cause teratogenic effects in humans.

#### **Reproductive Toxicity:**

This product is no reported to cause reproductive effects in humans.

### **11.7 Irritancy of Product:**

See section 4.3

### **11.8 Biological Exposures indices:**

NE

### **11.9 Physician Recommendations:**

Treat symptomatically



## **SECTION 12: ECOLOGICAL INFORMATION**

### **12.1 Environmental Stability:**

There is no specific data available for this product.

### **12.2 Effects on Plants & Animals:**

There is no specific data available for this product.

### **12.3 Effects on Aquatic Life:**

This product itself has not been tested as a whole. There is no specific data available for this product.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### **13.1 Waste Disposal:**

Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredient listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. A licensed facility or waste hauler must provide treatment, transport, storage and disposal of hazardous waste.

### **13.2 Special Considerations:** U.S. EPA Hazardous waste – Characteristic- Ignitable (D001)

## **SECTION 14: TRANSPORT INFORMATION**

The basic description (ID number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

- |                                 |  |
|---------------------------------|--|
| <b>14.1 49 CFR (GND):</b>       | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1.0 L) - until 12/31/2020                     |
| <b>14.2 IATA (AIR)</b>          | UN 1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL ≤ 0.5 L); or ID8000, CONSUMER COMMODITY, ORM-D (IP VOL ≤ 0.5 L)                     |
| <b>14.3 IMDG (OCN):</b>         | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)   |
| <b>14.4 TDGR (CANADIAN GND)</b> | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or MARK PACKAGE "LIMITED QUANTITY," "LTD QTY," or "QUANT LTÉE" or "QUANTITE LIMITÉE" |
| <b>14.5 ADR/RID (EU):</b>       | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)   |
| <b>14.6 SCT (MEXICO):</b>       | UN 1950, AEROSOLS, 2.1 (CANTIDAD LIMITADA, IP VOL ≤ 1.0 L)   |
| <b>14.7 ADGR (AUS):</b>         | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)   |



## **SECTION 15: REGULATORY INFORMATION**

- 15.1 SARA Reporting Requirements:** This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.
- 15.2 SARA Threshold Planning Quantity:** There are no specific Threshold Planning Quantities for the components of this product.
- 15.3 TSCA Inventory Status:** The components of this product are listed in the TSCA Inventory.
- 15.4 CERCLA Reportable Quantity (RQ):** NA
- 15.5 Other Federal Requirements:** This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics)

### 15.6 Other Canadian Regulations:

This product has been classified according to the hazard criteria of the CPR and MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class B5 (Flammable Aerosol).



### 15.7 State Regulatory Information:

**Isobutane:** is found on the following state criteria lists: Massachusetts Hazardous Substances List (MA), Pennsylvania Right-to-Know List (PA), and New Jersey Right-to-know List (NJ).

**Propane:** is found on the following state criteria lists: (MA), (MN), (NJ), (PA), and (WA).

**Dimethyl Ether:** is found on the following state criteria lists: FL, MA, MN, and PA.

No other ingredients in this product, present in concentration of 1.0% or greater are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances Lists (MN) New Jersey Right-to-know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-know List (PA), and Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).

### 15.8 Other Requirements:

The primary components of this product are listed in Annex I of EU Directive 67/548/EEC.

**Dimethyl Ether :** Extremely Flammable (F+). **Risk Phrases (R):** 12- Extremely Flammable, **Safety Phrases (S):** 2-9-16- 33- Keep out of reach of children. Keep container in a well-Ventilated place. Keep away from sources of ignition – No Smoking.

**Propane:** Flammable (F+), R: 12- Extremely Flammable. S 2-9-16 Keep container in a well-ventilated place.

**Isobutane:** Flammable (F+), Risk Phrases R- 12- Extremely Flammable, Safety Phrases (S): 2-6-16-53-45- Keep out of reach of children. Keep cool store below 120 °F (48.8 °C), Keep away from sources of ignition – No smoking. Avoid exposure- obtain special instructions before use. In case of accident or if you feel unwell seek medical advice immediately.



## SECTION 16: OTHER INFORMATION

### 16.1 Other Information:

**WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED. HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION.**

Keep away from heat, sparks, open flames and/or other ignition sources. No Smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing vapor/spray. Wash thoroughly with soap and water after handling. Use only in a well-ventilated area. Wear eye protection. Protect from sunlight. Do not expose to temperatures exceeding 50 °C (122 °F). IF INHALED: remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes remove contact lenses if

present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.  
**KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.**

**16.2 Terms & Definitions:** See last page of this Safety Data Sheet

**16.3 Disclaimer:**

This Safety Data sheet is offered pursuant to OSHA's Hazard Communication Standard 29 CFR 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Sexy Hair Concepts, LLC knowledge, the information contained herein is reliable and accurate as of this date; however accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

**GENERAL INFORMATION:**

|                                |   |
|--------------------------------|---|
| <b>CAS No.</b>                 | Chemical Abstract Service Number                          |
| <b>EXPOSURE LIMITS IN AIR:</b> |   |
| <b>ACGIH</b>                   | American Conference on Governmental Industrial Hygienists |
| <b>C</b>                       | Ceiling Limit   |
| <b>ES</b>                      | Exposure Standard (Australia)                             |
| <b>IDLH</b>                    | Immediately Dangerous to Life and Health                  |
| <b>OSHA</b>                    | U.S. Occupational Safety and Health Administration        |
| <b>PEL</b>                     | Permissible Exposure Limit                                |
| <b>STEL</b>                    | Short-Term Exposure Limit                                 |
| <b>TLV</b>                     | Threshold Limit Value                                     |
| <b>TWA</b>                     | Time Weighted Average                                     |

**FIRST AID MEASURES:**

|            |  |
|------------|--|
| <b>CPR</b> | Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body. |
|------------|--|

**HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

|   |                 |
|---|-----------------|
| 0 | Minimal Hazard  |
| 1 | Slight Hazard   |
| 2 | Moderate Hazard |
| 3 | Severe Hazard   |
| 4 | Extreme Hazard  |

|                            |
|----------------------------|
| <b>HEALTH</b>              |
| <b>FLAMMABILITY</b>        |
| <b>PHYSICAL HAZARDS</b>    |
| <b>PERSONAL PROTECTION</b> |

**PERSONAL PROTECTION RATINGS:**

|          |  |          |  |
|----------|--|----------|--|
| <b>A</b> |  | <b>G</b> |  |
| <b>B</b> |  | <b>H</b> |  |
| <b>C</b> |  | <b>I</b> |  |
| <b>D</b> |  | <b>J</b> |  |
| <b>E</b> |  | <b>K</b> |  |
| <b>F</b> |  | <b>X</b> | Consult your supervisor or SOPs for special handling directions. |

|                      |                                   |                                  |                           |
|----------------------|-----------------------------------|----------------------------------|---------------------------|
|                      |                                   |                                  |                           |
| Safety Glasses       | Splash Goggles                    | Face Shield & Protective Eyewear | Gloves                    |
|                      |                                   |                                  |                           |
| Boots                | Synthetic Apron                   | Protective Clothing & Full Suit  | Dust Respirator           |
|                      |                                   |                                  |                           |
| Full Face Respirator | Dust & Vapor Half-Mask Respirator | Full Face Respirator             | Airline Hood/Mask or SCBA |

**OTHER STANDARD ABBREVIATIONS:**


|              |                                    |
|--------------|------------------------------------|
| <b>ML</b>    | Maximum Limit                      |
| <b>mg/m3</b> | milligrams per cubic meter         |
| <b>NA</b>    | Not Available                      |
| <b>ND</b>    | Not Determined                     |
| <b>NE</b>    | Not Established                    |
| <b>NF</b>    | Not Found                          |
| <b>NR</b>    | No Results                         |
| <b>ppm</b>   | parts per million                  |
| <b>SCBA</b>  | Self-Contained Breathing Apparatus |

**NATIONAL FIRE PROTECTION ASSOCIATION: NFPA**

|                                    |   |
|------------------------------------|---|
| <b>FLAMMABILITY LIMITS IN AIR:</b> |   |
| <b>Autoignition Temperature</b>    | Minimum temperature required to initiate combustion in air with no other source of ignition   |
| <b>LEL</b>                         | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source  |
| <b>UEL</b>                         | Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |

**HAZARD RATINGS:**

|                |                 |
|----------------|-----------------|
| 0              | Minimal Hazard  |
| 1              | Slight Hazard   |
| 2              | Moderate Hazard |
| 3              | Severe Hazard   |
| 4              | Extreme Hazard  |
| <b>ACD</b>     | Acidic          |
| <b>ALK</b>     | Alkaline        |
| <b>COR</b>     | Corrosive       |
| <b>W</b>       | Use No Water    |
| <b>OX</b>      | Oxidizer        |
| <b>TREFOIL</b> | Radioactive     |

**TOXICOLOGICAL INFORMATION:**

|   |  |
|---|--|
| <b>LD<sub>50</sub></b>  | Lethal Dose (solids & liquids) w/s                                 |
| <b>LC<sub>50</sub></b>  | Lethal concentration (gases) which kills 50% of the exposed animal |
| <b>ppm</b>  | Concentration expressed in parts of material per million parts     |
| <b>TD<sub>01</sub></b>  | Lowest dose to cause a symptom                                     |
| <b>TCLo</b>   | Lowest concentration to cause a symptom                            |
| <b>TD<sub>01</sub>, LD<sub>01</sub>, &amp; LD<sub>01</sub> or TC, TC<sub>01</sub>, LC<sub>01</sub>, &amp; LC<sub>01</sub></b> | Lowest dose (or concentration) to cause lethal or toxic effects    |
| <b>IARC</b>   | International Agency for Research on Cancer                        |
| <b>NTP</b>  | National Toxicology Program  |
| <b>RTECS</b>  | Registry of Toxic Effects of Chemical Substances                   |
| <b>BCF</b>  | Bioconcentration Factor  |
| <b>TL<sub>m</sub></b>   | Median threshold limit   |
| <b>log K<sub>OW</sub> or log K<sub>OC</sub></b>   | Coefficient of Oil/Water Distribution                              |

**REGULATORY INFORMATION:**

|                 |   |
|-----------------|---|
| <b>WHMIS</b>    | Canadian Workplace Hazardous Material Information System                        |
| <b>DOT</b>      | U.S. Department of Transportation   |
| <b>TC</b>       | Transport Canada  |
| <b>EPA</b>      | U.S. Environmental Protection Agency  |
| <b>DSL</b>      | Canadian Domestic Substance List  |
| <b>NOHSC</b>    | National Occupational Health and Safety Commission (Australia)                  |
| <b>NDSL</b>     | Canadian Non-Domestic Substance List  |
| <b>PSL</b>      | Canadian Priority Substances List   |
| <b>TSCA</b>     | U.S. Toxic Substance Control Act  |
| <b>EU</b>       | European Union (European Union Directive 67/548/EEC)                            |
| <b>WGK</b>      | Wassergefährdungsklassen (German Water Hazard Class)                            |
| <b>HMIS-III</b> | National Paint & Coatings Association Hazardous Materials Identification System |

**WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:**

|            |           |           |          |            |            |           |          |
|------------|-----------|-----------|----------|------------|------------|-----------|----------|
|            |           |           |          |            |            |           |          |
| Class A    | Class B   | Class C   | Class D1 | Class D2   | Class D3   | Class E   | Class F  |
| Compressed | Flammable | Oxidizing | Toxic    | Irritation | Infectious | Corrosive | Reactive |

**EC (67/548/EEC) INFORMATION:**

|           |           |           |         |           |       |          |         |
|-----------|-----------|-----------|---------|-----------|-------|----------|---------|
|           |           |           |         |           |       |          |         |
| C         | E         | F         | N       | O         | T     | Xi       | Xn      |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

**CLP/GHS (1272/2008/EC) PICTOGRAMS:**

|           |           |          |             |           |       |                    |               |             |
|-----------|-----------|----------|-------------|-----------|-------|--------------------|---------------|-------------|
|           |           |          |             |           |       |                    |               |             |
| GHS01     | GHS02     | GHS03    | GHS04       | GHS05     | GHS06 | GHS07              | GHS08         | GHS09       |
| Explosive | Flammable | Oxidizer | Pressurized | Corrosive | Toxic | Harmful Irritating | Health Hazard | Environment |

# Safety Data Sheet

## Big Sexy Hair Root Pump - International

### **SECTION 1: IDENTIFICATION**

**MSDS FIRST PREPARATION DATE:** October 21, 2014

**FORMULA:** L32596

**GENERIC/CHEMICAL NAME:** N/A

**PRODUCT TYPE/CHEMICAL FAMILY:** Personal Care Product

**PRODUCT CODE:** N/A

**SYNONYMS:** Root Pump EU 16% VOC

**CONTACT ADDRESS:** Sexy Hair Concepts, LLC. 21551 Prairie St. Chatsworth, CA 91311

### **EMERGENCY PHONE NUMBERS:**

CHEMTEL: +1 (813) 248-0585 / +1 (888) 255-3924 (CN – MIS0002907)

### **SECTION 2: HAZARDS IDENTIFICATION**

This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia).

**WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINERS: MAY BURST IF HEATED. CAUSES EYE IRRITATION.**

**Classification:** Aerosols 2; Eye Irrit, 2

### **Hazard statements (H):**

|      |  |
|------|--|
| H223 | Flammable Aerosol                          |
| H229 | Pressurized container: may burst if heated |
| H320 | Causes eye irritation                      |



### **Precautionary statements (P):**

|                |  |
|----------------|--|
| P210           | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                     |
| P211           | Do not spray on an open flame or other ignition source.  |
| P251           | Do not pierce or burn, even after use  |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove Contact lenses if present and easy to do so. Continue rinsing. |
| P337+P313      | If eye irritation persists: Get medical advice/attention   |
| P410 + P412    | Protect from sun light. Do not expose to temperature exceeding 50 °C/122 °F.   |
| P501           | Dispose of contents/containers to licensed and permitted disposal or recycling facility.   |

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **Composition:**

| Chemical Name (s) | CAS No.                         | RTECS No. | EINECS No. | %    | Exposure Limits in Air (mg/m³) |      |        |         |         |      |      |      | Other |
|-------------------|---------------------------------|-----------|------------|------|--------------------------------|------|--------|---------|---------|------|------|------|-------|
|                   |                                 |           |            |      | ACGIH                          |      | NOHSC  |         |         | OSHA |      |      |       |
|                   |                                 |           |            |      | ppm                            |      | ppm    |         |         | ppm  |      |      |       |
|                   |                                 |           |            |      | TLV                            | STEL | ES-TWA | ES-STEL | ES-PEAK | PEL  | STEL | IDLH |       |
| Dimethyl Ether    | 115-10-6                        | NA        | 204-065-8  | 5-20 | NA                             | NA   | 400    | 760     | NF      | NA   | NA   | NA   |       |
|                   | Flam.Gas 1; Gas; H220           |           |            |      |                                |      |        |         |         |      |      |      |       |
| Propane           | 74-98-6                         | TX2275000 | 200827-9   | 1-5  | 1000                           | NA   | 1000   | NA      | NA      | 1000 | NA   | 2100 |       |
|                   | Flam.gas 1; H220                |           |            |      |                                |      |        |         |         |      |      |      |       |
| Isobutane         | 75-28-5                         | TZ4300000 | 200-857-2  | 1-5  | 600                            | 750  | NF     | NA      | NA      | NA   | NA   | NA   |       |
|                   | Press. Gas 1; Flam. Gas 1, H220 |           |            |      |                                |      |        |         |         |      |      |      |       |

## **SECTION 4: FIRST AID MEASURES**

### **4.1 First Aid:**

- Ingestion:** If ingested do not induce vomiting! If product has been swallowed drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of substance that was swallowed.
- Skin:** If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately.
- Eyes:** If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Raise and lower eyelid(s) while flushing to ensure thorough irrigation. If problem persist seek immediate medical attention.
- Inhalation:** In the event of massive inhalation Remove Victim to fresh air and keep comfortable for breathing.

### **4.2 Effects of Exposure:**

- Ingestion:** If product is swallowed, may cause vomiting and/or diarrhea and central nervous system depression.
- Eyes:** Moderately irritating to the eyes.
- Skin:** May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals upon prolonged or repeated exposure.
- Inhalation:** Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of concentrated vapors can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea).



### 4.3 Symptoms of Overexposure:

- Ingestion:** May cause vomiting and/or diarrhea and central nervous system depression.
- Eyes:** Overexposure in eyes may cause redness; itching and watering (risk of serious damage to eyes). Contact may cause mild eye irritation including stinging, watering and redness.
- Skin:** Prolonged contact with skin may result in bleaching and irritation of skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas.
- Inhalation:** Symptoms of overexposure may include coughing, wheezing, nasal congestion, and difficulty breathing.

### 4.4 Acute Health Effects:

Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.

### 4.5 Chronic Health Effects:

No harmful or chronic health effects are expected to occur from a single accidental ingestion. These ingredients may be irritating to the skin and mucous membrane of the eye and respiratory system. Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis.

### 4.6 Target Organs:

Eyes, skin, respiratory system.

### 4.7 Medical Conditions Aggravated by Exposure:

Acute health hazards may be delayed. Most common symptoms include irritating properties to eyes, respiratory system and skin. Existing dermatological conditions (such as eczema) and respiratory conditions (such as bronchial asthma and/or bronchitis) may be exacerbated.

|                             |            |          |
|-----------------------------|------------|----------|
| <b>HEALTH</b>               |            | <b>1</b> |
| <b>FLAMMABILITY</b>         |            | <b>4</b> |
| <b>PHYSICAL HAZARDS</b>     |            | <b>0</b> |
| <b>PROTECTIVE EQUIPMENT</b> |            | <b>B</b> |
| <b>EYES</b>                 | <b>CNS</b> |          |


## **SECTION 5: FIRE FIGHTING MEASURES**

### 5.1 Fire & Explosion hazards:

Level 1 Aerosol (NFPA 30B), Aerosols may burst at temperatures above 120 °F. Cool uninvolved containers to prevent possible bursting. Aerosols may be projectile hazards when bursting. If aerosols are bursting, stay clear until bursting is complete. Containers may rupture and release flammable liquids or exposed gasses if exposed to the heat of fire. Keep containers cool by spraying them with water until the fire has been extinguished.

### 5.2 Extinguishing Methods:

Water Fog, Foam, Dry Chemical, CO<sub>2</sub>



### **5.3 Firefighting Procedures**

As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure demand) full and protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire exposed surfaces and to protect personnel. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil over. Prevent run off from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH- approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.

## **SECTION 6: ACCIDENTIAL RELEASE MEASURES**

**Spills:** Before cleaning any spill or leak, individual involved in a spill cleanup must wear appropriate Personal Protective Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills.

**Small Spills:** Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Do not use water or a material such as “speed dry” to soak up material. Sweep up material using non-sparkling materials (e.g., plastic brooms, shovels, dustpans) and place into a plastic container or plastic liner within another container.

**Large Spills:** Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1 Work & Hygiene Practices:**

Do not eat, drink or smoke when handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.

### **7.2 Storage & Handling:**

Use and store in a cool, dry, well-ventilated location (e.g., exhaust ventilation fans) away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Storage level 1

### **7.3 Special Precautions:**

Spilled material presents a slipping hazard if left unattended. Clean all spills promptly.



## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1 Exposure Limits ppm (mg/m<sup>3</sup>)**

| Chemical Name(s) | ACGIH |       | NOHSC  |         |         | OSHA |       |      | other |
|------------------|-------|-------|--------|---------|---------|------|-------|------|-------|
|                  | TLV   | STE L | ES-TWA | ES-STEL | ES-PEAK | PEL  | STE L | IDLH |       |
| Dymethyl Ether   | NA    | NA    | 400    | 760     | NF      | NA   | NA    | NA   |       |
| Propane          | 1000  | NA    | 1000   | NA      | NF      | 1000 | NA    | 2100 |       |
| Isobutane        | 600   | 750   | NF     | NF      | NF      | NF   | NA    | NA   |       |

### **8.2 Ventilation & Engineering Controls:**

General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product.

### **8.3 Respiratory Protection:**

No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR 1910.134, applicable U.S State regulations, or the Canadian CAS standard Z94.4-93 and applicable standards of Canadian Provinces, EC member states, or Australia.

### **8.4 Eye Protection:**

Avoid eye contact. None required under normal conditions of use. Safety glasses could be used when handling or using large quantities of this product.



### **8.5 Hand Protection:**

None required under normal conditions of use. However may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8L)), wear rubber, nitrite or impervious plastic gloves.

### **8.6 Body Protection:**

No apron needed when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

- 9.1 Appearance:** Aerosol, Foaming Spray  
**9.2 Odor:** Fresh Floral  
**9.3 Odor Threshold:** NA  
**9.4 pH:** NA  
**9.5 Melting Point / Freezing Point:** NA  
**9.6 Initial Boiling Point/Boiling Point:** NA  
**9.7 Flash Point (°C):** -30 °F (-34 °C) TCC for propellant only  
**9.8 Upper/lower Flammability Limits:** NA  
**9.9 Vapor Pressure:** @ 20 °C (68 °F) - Can pressure not to exceed 180 psig @ 55 °C (131 °F) 12.4 bar  
**9.10 Vapor Density:** > 1  
**9.11 Relative Density:** 0.83 – 0.85

|  |  |
|--|--|
| <b>9.12 Solubility:</b>                        | Soluble  |
| <b>9.13 Partition Coefficient (log PG ow):</b> | NA   |
| <b>9.14 Autoignition Temperature:</b>          | NA   |
| <b>9.15 Decomposition Temperature:</b>         | NA   |
| <b>9.16 Viscosity:</b>                         | Aerosol at ambient temperature                 |
| <b>9.17 Other Information:</b>                 | Evaporation rate > 1: Percent Volatile 16% VOC |

## **SECTION 10: STABILITY AND REACTIVITY**

### **10.1 Stability:**

Stable at normal temperatures.

### **10.2 Hazardous Decomposition Products:**

Oxides of carbon (CO, CO<sub>2</sub>) and sulfur (SO<sub>2</sub>)

### **10.3 Hazardous Polymerization:**

Will not occur

### **10.4 Conditions to avoid**

Excessive heat, direct sunlight, flames, heat sources and incompatible substances

### **10.5 Incompatible substances:**

Mixture with strong acids, alkalis or oxidizers

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **11.1 Routes of Entry:**

Inhalation: YES

Absorption: YES

Ingestion: YES

### **11.2 Toxicity data:**

This Product was not tested on animals. Toxicology data, found in scientific literature is available for some of the components of the product and is presented below: LD<sub>50</sub> (Inhalation, rat):  
>800,000 mg/kg

### **11.3 Acute Toxicity:**

See section 4.4

### **11.4 Chronic Toxicity:**

See section 4.5

### **11.5 Suspected Carcinogen:**

No

### **11.6 Reproductive Toxicity:**

This product is no reported to cause reproductive toxicity in humans.

#### **Mutagenicity:**

This product is no reported to produce mutagenic effects in humans.

#### **Embryotoxicity:**

This product is no reported to produce embryotoxic effects in humans.

#### **Teratogenicity:**

This product is no reported to cause teratogenic effects in humans.

#### **Reproductive Toxicity:**

This product is no reported to cause reproductive effects in humans.

### **11.7 Irritancy of Product:**

See section 4.3

### **11.8 Biological Exposures indices:**

NE

### **11.9 Physician Recommendations:**

Treat symptomatically

## **SECTION 12: ECOLOGICAL INFORMATION**

### **12.1 Environmental Stability:**

There is no specific data available for this product.

### **12.2 Effects on Plants & Animals:**

There is no specific data available for this product.

### **12.3 Effects on Aquatic Life:**

This product itself has not been tested as a whole. There is no specific data available for this product.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### **13.1 Waste Disposal:**

Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredient listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. A licensed facility or waste hauler must provide treatment, transport, storage and disposal of hazardous waste.

### **13.2 Special Considerations:** U.S. EPA Hazardous waste – Characteristic- Ignitable (D001)

## **SECTION 14: TRANSPORT INFORMATION**

The basic description (ID number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

- |                                 |  |
|---------------------------------|--|
| <b>14.1 49 CFR (GND):</b>       | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1.0 L) - until 12/31/2020                     |
| <b>14.2 IATA (AIR)</b>          | UN 1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL ≤ 0.5 L); or ID8000, CONSUMER COMMODITY, ORM-D (IP VOL ≤ 0.5 L)                     |
| <b>14.3 IMDG (OCN):</b>         | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)   |
| <b>14.4 TDGR (CANADIAN GND)</b> | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or MARK PACKAGE "LIMITED QUANTITY," "LTD QTY," or "QUANT LTÉE" or "QUANTITE LIMITÉE" |
| <b>14.5 ADR/RID (EU):</b>       | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)   |
| <b>14.6 SCT (MEXICO):</b>       | UN 1950, AEROSOLS, 2.1 (CANTIDAD LIMITADA, IP VOL ≤ 1.0 L)   |
| <b>14.7 ADGR (AUS):</b>         | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)   |



## **SECTION 15: REGULATORY INFORMATION**

- 15.1 SARA Reporting Requirements:** This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.
- 15.2 SARA Threshold Planning Quantity:** There are no specific Threshold Planning Quantities for the components of this product.
- 15.3 TSCA Inventory Status:** The components of this product are listed in the TSCA Inventory.
- 15.4 CERCLA Reportable Quantity (RQ):** NA
- 15.5 Other Federal Requirements:** This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics)

### 15.6 Other Canadian Regulations:

This product has been classified according to the hazard criteria of the CPR and MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class B5 (Flammable Aerosol).



### 15.7 State Regulatory Information:

**Isobutane:** is found on the following state criteria lists: Massachusetts Hazardous Substances List (MA), Pennsylvania Right-to-Know List (PA), and New Jersey Right-to-know List (NJ).

**Propane:** is found on the following state criteria lists: (MA), (MN), (NJ), (PA), and (WA).

**Dimethyl Ether:** is found on the following state criteria lists: FL, MA, MN, and PA.

No other ingredients in this product, present in concentration of 1.0% or greater are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances Lists (MN) New Jersey Right-to-know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-know List (PA), and Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).

### 15.8 Other Requirements:

The primary components of this product are listed in Annex I of EU Directive 67/548/EEC.

**Dimethyl Ether :** Extremely Flammable (F+). **Risk Phrases (R):** 12- Extremely Flammable, **Safety Phrases (S):** 2-9-16- 33- Keep out of reach of children. Keep container in a well-Ventilated place. Keep away from sources of ignition – No Smoking.

**Propane:** Flammable (F+), R: 12- Extremely Flammable. S 2-9-16 Keep container in a well-ventilated place.

**Isobutane:** Flammable (F+), Risk Phrases R- 12- Extremely Flammable, Safety Phrases (S): 2-6-16-53-45- Keep out of reach of children. Keep cool store below 120 °F (48.8 °C), Keep away from sources of ignition – No smoking. Avoid exposure- obtain special instructions before use. In case of accident or if you feel unwell seek medical advice immediately.



## SECTION 16: OTHER INFORMATION

### 16.1 Other Information:

**WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED. HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION.**

Keep away from heat, sparks, open flames and/or other ignition sources. No Smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing vapor/spray. Wash thoroughly with soap and water after handling. Use only in a well-ventilated area. Wear eye protection. Protect from sunlight. Do not expose to temperatures exceeding 50 °C (122 °F). IF INHALED: remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes remove contact lenses if

present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.  
**KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.**

**16.2 Terms & Definitions:** See last page of this Safety Data Sheet

**16.3 Disclaimer:**

This Safety Data sheet is offered pursuant to OSHA's Hazard Communication Standard 29 CFR 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Sexy Hair Concepts, LLC knowledge, the information contained herein is reliable and accurate as of this date; however accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

**GENERAL INFORMATION:**

|                                |   |
|--------------------------------|---|
| <b>CAS No.</b>                 | Chemical Abstract Service Number                          |
| <b>EXPOSURE LIMITS IN AIR:</b> |   |
| <b>ACGIH</b>                   | American Conference on Governmental Industrial Hygienists |
| <b>C</b>                       | Ceiling Limit   |
| <b>ES</b>                      | Exposure Standard (Australia)                             |
| <b>IDLH</b>                    | Immediately Dangerous to Life and Health                  |
| <b>OSHA</b>                    | U.S. Occupational Safety and Health Administration        |
| <b>PEL</b>                     | Permissible Exposure Limit                                |
| <b>STEL</b>                    | Short-Term Exposure Limit                                 |
| <b>TLV</b>                     | Threshold Limit Value                                     |
| <b>TWA</b>                     | Time Weighted Average                                     |

**FIRST AID MEASURES:**

|            |  |
|------------|--|
| <b>CPR</b> | Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body. |
|------------|--|

**HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

|   |                 |
|---|-----------------|
| 0 | Minimal Hazard  |
| 1 | Slight Hazard   |
| 2 | Moderate Hazard |
| 3 | Severe Hazard   |
| 4 | Extreme Hazard  |

|                            |
|----------------------------|
| <b>HEALTH</b>              |
| <b>FLAMMABILITY</b>        |
| <b>PHYSICAL HAZARDS</b>    |
| <b>PERSONAL PROTECTION</b> |

**PERSONAL PROTECTION RATINGS:**

|          |  |          |  |
|----------|--|----------|--|
| <b>A</b> |  | <b>G</b> |  |
| <b>B</b> |  | <b>H</b> |  |
| <b>C</b> |  | <b>I</b> |  |
| <b>D</b> |  | <b>J</b> |  |
| <b>E</b> |  | <b>K</b> |  |
| <b>F</b> |  | <b>X</b> | Consult your supervisor or SOPs for special handling directions. |

|                      |                                   |                                  |                           |
|----------------------|-----------------------------------|----------------------------------|---------------------------|
|                      |                                   |                                  |                           |
| Safety Glasses       | Splash Goggles                    | Face Shield & Protective Eyewear | Gloves                    |
|                      |                                   |                                  |                           |
| Boots                | Synthetic Apron                   | Protective Clothing & Full Suit  | Dust Respirator           |
|                      |                                   |                                  |                           |
| Full Face Respirator | Dust & Vapor Half-Mask Respirator | Full Face Respirator             | Airline Hood/Mask or SCBA |

**OTHER STANDARD ABBREVIATIONS:**


|              |                                    |
|--------------|------------------------------------|
| <b>ML</b>    | Maximum Limit                      |
| <b>mg/m3</b> | milligrams per cubic meter         |
| <b>NA</b>    | Not Available                      |
| <b>ND</b>    | Not Determined                     |
| <b>NE</b>    | Not Established                    |
| <b>NF</b>    | Not Found                          |
| <b>NR</b>    | No Results                         |
| <b>ppm</b>   | parts per million                  |
| <b>SCBA</b>  | Self-Contained Breathing Apparatus |

**NATIONAL FIRE PROTECTION ASSOCIATION: NFPA**

|                                    |   |
|------------------------------------|---|
| <b>FLAMMABILITY LIMITS IN AIR:</b> |   |
| <b>Autoignition Temperature</b>    | Minimum temperature required to initiate combustion in air with no other source of ignition   |
| <b>LEL</b>                         | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source  |
| <b>UEL</b>                         | Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |

**HAZARD RATINGS:**

|                |                 |
|----------------|-----------------|
| 0              | Minimal Hazard  |
| 1              | Slight Hazard   |
| 2              | Moderate Hazard |
| 3              | Severe Hazard   |
| 4              | Extreme Hazard  |
| <b>ACD</b>     | Acidic          |
| <b>ALK</b>     | Alkaline        |
| <b>COR</b>     | Corrosive       |
| <b>W</b>       | Use No Water    |
| <b>OX</b>      | Oxidizer        |
| <b>TREFOIL</b> | Radioactive     |

**TOXICOLOGICAL INFORMATION:**

|   |  |
|---|--|
| <b>LD<sub>50</sub></b>  | Lethal Dose (solids & liquids) w/s                                 |
| <b>LC<sub>50</sub></b>  | Lethal concentration (gases) which kills 50% of the exposed animal |
| <b>ppm</b>  | Concentration expressed in parts of material per million parts     |
| <b>TD<sub>01</sub></b>  | Lowest dose to cause a symptom                                     |
| <b>TCLo</b>   | Lowest concentration to cause a symptom                            |
| <b>TD<sub>01</sub>, LD<sub>01</sub>, &amp; LD<sub>01</sub> or TC, TC<sub>01</sub>, LC<sub>01</sub>, &amp; LC<sub>01</sub></b> | Lowest dose (or concentration) to cause lethal or toxic effects    |
| <b>IARC</b>   | International Agency for Research on Cancer                        |
| <b>NTP</b>  | National Toxicology Program  |
| <b>RTECS</b>  | Registry of Toxic Effects of Chemical Substances                   |
| <b>BCF</b>  | Bioconcentration Factor  |
| <b>TL<sub>m</sub></b>   | Median threshold limit   |
| <b>log K<sub>OW</sub> or log K<sub>OC</sub></b>   | Coefficient of Oil/Water Distribution                              |

**REGULATORY INFORMATION:**

|                 |   |
|-----------------|---|
| <b>WHMIS</b>    | Canadian Workplace Hazardous Material Information System                        |
| <b>DOT</b>      | U.S. Department of Transportation   |
| <b>TC</b>       | Transport Canada  |
| <b>EPA</b>      | U.S. Environmental Protection Agency  |
| <b>DSL</b>      | Canadian Domestic Substance List  |
| <b>NOHSC</b>    | National Occupational Health and Safety Commission (Australia)                  |
| <b>NDSL</b>     | Canadian Non-Domestic Substance List  |
| <b>PSL</b>      | Canadian Priority Substances List   |
| <b>TSCA</b>     | U.S. Toxic Substance Control Act  |
| <b>EU</b>       | European Union (European Union Directive 67/548/EEC)                            |
| <b>WGK</b>      | Wassergefährdungsklassen (German Water Hazard Class)                            |
| <b>HMIS-III</b> | National Paint & Coatings Association Hazardous Materials Identification System |

**WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:**

|            |           |           |          |            |            |           |          |
|------------|-----------|-----------|----------|------------|------------|-----------|----------|
|            |           |           |          |            |            |           |          |
| Class A    | Class B   | Class C   | Class D1 | Class D2   | Class D3   | Class E   | Class F  |
| Compressed | Flammable | Oxidizing | Toxic    | Irritation | Infectious | Corrosive | Reactive |

**EC (67/548/EEC) INFORMATION:**

|           |           |           |         |           |       |          |         |
|-----------|-----------|-----------|---------|-----------|-------|----------|---------|
|           |           |           |         |           |       |          |         |
| C         | E         | F         | N       | O         | T     | Xi       | Xn      |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

**CLP/GHS (1272/2008/EC) PICTOGRAMS:**

|           |           |          |             |           |       |                    |               |             |
|-----------|-----------|----------|-------------|-----------|-------|--------------------|---------------|-------------|
|           |           |          |             |           |       |                    |               |             |
| GHS01     | GHS02     | GHS03    | GHS04       | GHS05     | GHS06 | GHS07              | GHS08         | GHS09       |
| Explosive | Flammable | Oxidizer | Pressurized | Corrosive | Toxic | Harmful Irritating | Health Hazard | Environment |



# Safety Data Sheet

## Big Sexy Hair Root Pump - International

### **SECTION 1: IDENTIFICATION**

**MSDS FIRST PREPARATION DATE:** October 21, 2014

**FORMULA:** L32596

**GENERIC/CHEMICAL NAME:** N/A

**PRODUCT TYPE/CHEMICAL FAMILY:** Personal Care Product

**PRODUCT CODE:** N/A

**SYNONYMS:** Root Pump EU 16% VOC

**CONTACT ADDRESS:** Sexy Hair Concepts, LLC. 21551 Prairie St. Chatsworth, CA 91311

### **EMERGENCY PHONE NUMBERS:**

CHEMTEL: +1 (813) 248-0585 / +1 (888) 255-3924 (CN – MIS0002907)

### **SECTION 2: HAZARDS IDENTIFICATION**

This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia).

**WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINERS: MAY BURST IF HEATED. CAUSES EYE IRRITATION.**

**Classification:** Aerosols 2; Eye Irrit, 2

### **Hazard statements (H):**

|      |  |
|------|--|
| H223 | Flammable Aerosol                          |
| H229 | Pressurized container: may burst if heated |
| H320 | Causes eye irritation                      |



### **Precautionary statements (P):**

|                |  |
|----------------|--|
| P210           | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                     |
| P211           | Do not spray on an open flame or other ignition source.  |
| P251           | Do not pierce or burn, even after use  |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove Contact lenses if present and easy to do so. Continue rinsing. |
| P337+P313      | If eye irritation persists: Get medical advice/attention   |
| P410 + P412    | Protect from sun light. Do not expose to temperature exceeding 50 °C/122 °F.   |
| P501           | Dispose of contents/containers to licensed and permitted disposal or recycling facility.   |

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **Composition:**

| Chemical Name (s) | CAS No.                         | RTECS No. | EINECS No. | %    | Exposure Limits in Air (mg/m³) |      |        |         |         |      |      |      | Other |
|-------------------|---------------------------------|-----------|------------|------|--------------------------------|------|--------|---------|---------|------|------|------|-------|
|                   |                                 |           |            |      | ACGIH                          |      | NOHSC  |         |         | OSHA |      |      |       |
|                   |                                 |           |            |      | ppm                            |      | ppm    |         |         | ppm  |      |      |       |
|                   |                                 |           |            |      | TLV                            | STEL | ES-TWA | ES-STEL | ES-PEAK | PEL  | STEL | IDLH |       |
| Dimethyl Ether    | 115-10-6                        | NA        | 204-065-8  | 5-20 | NA                             | NA   | 400    | 760     | NF      | NA   | NA   | NA   |       |
|                   | Flam.Gas 1; Gas; H220           |           |            |      |                                |      |        |         |         |      |      |      |       |
| Propane           | 74-98-6                         | TX2275000 | 200827-9   | 1-5  | 1000                           | NA   | 1000   | NA      | NA      | 1000 | NA   | 2100 |       |
|                   | Flam.gas 1; H220                |           |            |      |                                |      |        |         |         |      |      |      |       |
| Isobutane         | 75-28-5                         | TZ4300000 | 200-857-2  | 1-5  | 600                            | 750  | NF     | NA      | NA      | NA   | NA   | NA   |       |
|                   | Press. Gas 1; Flam. Gas 1, H220 |           |            |      |                                |      |        |         |         |      |      |      |       |

## **SECTION 4: FIRST AID MEASURES**

### **4.1 First Aid:**

- Ingestion:** If ingested do not induce vomiting! If product has been swallowed drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of substance that was swallowed.
- Skin:** If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately.
- Eyes:** If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Raise and lower eyelid(s) while flushing to ensure thorough irrigation. If problem persist seek immediate medical attention.
- Inhalation:** In the event of massive inhalation Remove Victim to fresh air and keep comfortable for breathing.

### **4.2 Effects of Exposure:**

- Ingestion:** If product is swallowed, may cause vomiting and/or diarrhea and central nervous system depression.
- Eyes:** Moderately irritating to the eyes.
- Skin:** May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals upon prolonged or repeated exposure.
- Inhalation:** Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of concentrated vapors can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea).



### 4.3 Symptoms of Overexposure:

- Ingestion:** May cause vomiting and/or diarrhea and central nervous system depression.
- Eyes:** Overexposure in eyes may cause redness; itching and watering (risk of serious damage to eyes). Contact may cause mild eye irritation including stinging, watering and redness.
- Skin:** Prolonged contact with skin may result in bleaching and irritation of skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas.
- Inhalation:** Symptoms of overexposure may include coughing, wheezing, nasal congestion, and difficulty breathing.

### 4.4 Acute Health Effects:

Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.

### 4.5 Chronic Health Effects:

No harmful or chronic health effects are expected to occur from a single accidental ingestion. These ingredients may be irritating to the skin and mucous membrane of the eye and respiratory system. Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis.

### 4.6 Target Organs:

Eyes, skin, respiratory system.

### 4.7 Medical Conditions Aggravated by Exposure:

Acute health hazards may be delayed. Most common symptoms include irritating properties to eyes, respiratory system and skin. Existing dermatological conditions (such as eczema) and respiratory conditions (such as bronchial asthma and/or bronchitis) may be exacerbated.

|                             |            |          |
|-----------------------------|------------|----------|
| <b>HEALTH</b>               |            | <b>1</b> |
| <b>FLAMMABILITY</b>         |            | <b>4</b> |
| <b>PHYSICAL HAZARDS</b>     |            | <b>0</b> |
| <b>PROTECTIVE EQUIPMENT</b> |            | <b>B</b> |
| <b>EYES</b>                 | <b>CNS</b> |          |


## **SECTION 5: FIRE FIGHTING MEASURES**

### 5.1 Fire & Explosion hazards:

Level 1 Aerosol (NFPA 30B), Aerosols may burst at temperatures above 120 °F. Cool uninvolved containers to prevent possible bursting. Aerosols may be projectile hazards when bursting. If aerosols are bursting, stay clear until bursting is complete. Containers may rupture and release flammable liquids or exposed gasses if exposed to the heat of fire. Keep containers cool by spraying them with water until the fire has been extinguished.

### 5.2 Extinguishing Methods:

Water Fog, Foam, Dry Chemical, CO<sub>2</sub>



### **5.3 Firefighting Procedures**

As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure demand) full and protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire exposed surfaces and to protect personnel. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil over. Prevent run off from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH- approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.

## **SECTION 6: ACCIDENTIAL RELEASE MEASURES**

**Spills:** Before cleaning any spill or leak, individual involved in a spill cleanup must wear appropriate Personal Protective Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills.

**Small Spills:** Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Do not use water or a material such as “speed dry” to soak up material. Sweep up material using non-sparkling materials (e.g., plastic brooms, shovels, dustpans) and place into a plastic container or plastic liner within another container.

**Large Spills:** Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1 Work & Hygiene Practices:**

Do not eat, drink or smoke when handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.

### **7.2 Storage & Handling:**

Use and store in a cool, dry, well-ventilated location (e.g., exhaust ventilation fans) away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Storage level 1

### **7.3 Special Precautions:**

Spilled material presents a slipping hazard if left unattended. Clean all spills promptly.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1 Exposure Limits ppm (mg/m<sup>3</sup>)**

| Chemical Name(s) | ACGIH |       | NOHSC  |         |         | OSHA |       |      | other |
|------------------|-------|-------|--------|---------|---------|------|-------|------|-------|
|                  | TLV   | STE L | ES-TWA | ES-STEL | ES-PEAK | PEL  | STE L | IDLH |       |
| Dymethyl Ether   | NA    | NA    | 400    | 760     | NF      | NA   | NA    | NA   |       |
| Propane          | 1000  | NA    | 1000   | NA      | NF      | 1000 | NA    | 2100 |       |
| Isobutane        | 600   | 750   | NF     | NF      | NF      | NF   | NA    | NA   |       |

### **8.2 Ventilation & Engineering Controls:**

General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product.

### **8.3 Respiratory Protection:**

No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR 1910.134, applicable U.S State regulations, or the Canadian CAS standard Z94.4-93 and applicable standards of Canadian Provinces, EC member states, or Australia.

### **8.4 Eye Protection:**

Avoid eye contact. None required under normal conditions of use. Safety glasses could be used when handling or using large quantities of this product.



### **8.5 Hand Protection:**

None required under normal conditions of use. However may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8L)), wear rubber, nitrite or impervious plastic gloves.

### **8.6 Body Protection:**

No apron needed when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

- 9.1 Appearance:** Aerosol, Foaming Spray  
**9.2 Odor:** Fresh Floral  
**9.3 Odor Threshold:** NA  
**9.4 pH:** NA  
**9.5 Melting Point / Freezing Point:** NA  
**9.6 Initial Boiling Point/Boiling Point:** NA  
**9.7 Flash Point (°C):** -30 °F (-34 °C) TCC for propellant only  
**9.8 Upper/lower Flammability Limits:** NA  
**9.9 Vapor Pressure:** @ 20 °C (68 °F) - Can pressure not to exceed 180 psig @ 55 °C (131 °F) 12.4 bar  
**9.10 Vapor Density:** > 1  
**9.11 Relative Density:** 0.83 – 0.85

|  |  |
|--|--|
| <b>9.12 Solubility:</b>                        | Soluble  |
| <b>9.13 Partition Coefficient (log PG ow):</b> | NA   |
| <b>9.14 Autoignition Temperature:</b>          | NA   |
| <b>9.15 Decomposition Temperature:</b>         | NA   |
| <b>9.16 Viscosity:</b>                         | Aerosol at ambient temperature                 |
| <b>9.17 Other Information:</b>                 | Evaporation rate > 1: Percent Volatile 16% VOC |

## **SECTION 10: STABILITY AND REACTIVITY**

### **10.1 Stability:**

Stable at normal temperatures.

### **10.2 Hazardous Decomposition Products:**

Oxides of carbon (CO, CO<sub>2</sub>) and sulfur (SO<sub>2</sub>)

### **10.3 Hazardous Polymerization:**

Will not occur

### **10.4 Conditions to avoid**

Excessive heat, direct sunlight, flames, heat sources and incompatible substances

### **10.5 Incompatible substances:**

Mixture with strong acids, alkalis or oxidizers

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **11.1 Routes of Entry:**

Inhalation: YES

Absorption: YES

Ingestion: YES

### **11.2 Toxicity data:**

This Product was not tested on animals. Toxicology data, found in scientific literature is available for some of the components of the product and is presented below: LD<sub>50</sub> (Inhalation, rat):  
>800,000 mg/kg

### **11.3 Acute Toxicity:**

See section 4.4

### **11.4 Chronic Toxicity:**

See section 4.5

### **11.5 Suspected Carcinogen:**

No

### **11.6 Reproductive Toxicity:**

This product is no reported to cause reproductive toxicity in humans.

#### **Mutagenicity:**

This product is no reported to produce mutagenic effects in humans.

#### **Embryotoxicity:**

This product is no reported to produce embryotoxic effects in humans.

#### **Teratogenicity:**

This product is no reported to cause teratogenic effects in humans.

#### **Reproductive Toxicity:**

This product is no reported to cause reproductive effects in humans.

### **11.7 Irritancy of Product:**

See section 4.3

### **11.8 Biological Exposures indices:**

NE

### **11.9 Physician Recommendations:**

Treat symptomatically

## **SECTION 12: ECOLOGICAL INFORMATION**

### **12.1 Environmental Stability:**

There is no specific data available for this product.

### **12.2 Effects on Plants & Animals:**

There is no specific data available for this product.

### **12.3 Effects on Aquatic Life:**

This product itself has not been tested as a whole. There is no specific data available for this product.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### **13.1 Waste Disposal:**

Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredient listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. A licensed facility or waste hauler must provide treatment, transport, storage and disposal of hazardous waste.

### **13.2 Special Considerations:** U.S. EPA Hazardous waste – Characteristic- Ignitable (D001)

## **SECTION 14: TRANSPORT INFORMATION**

The basic description (ID number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

- |                                 |  |
|---------------------------------|--|
| <b>14.1 49 CFR (GND):</b>       | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1.0 L) - until 12/31/2020                     |
| <b>14.2 IATA (AIR)</b>          | UN 1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL ≤ 0.5 L); or ID8000, CONSUMER COMMODITY, ORM-D (IP VOL ≤ 0.5 L)                     |
| <b>14.3 IMDG (OCN):</b>         | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)   |
| <b>14.4 TDGR (CANADIAN GND)</b> | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or MARK PACKAGE "LIMITED QUANTITY," "LTD QTY," or "QUANT LTÉE" or "QUANTITE LIMITÉE" |
| <b>14.5 ADR/RID (EU):</b>       | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)   |
| <b>14.6 SCT (MEXICO):</b>       | UN 1950, AEROSOLS, 2.1 (CANTIDAD LIMITADA, IP VOL ≤ 1.0 L)   |
| <b>14.7 ADGR (AUS):</b>         | UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)   |



## **SECTION 15: REGULATORY INFORMATION**

- 15.1 SARA Reporting Requirements:** This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.
- 15.2 SARA Threshold Planning Quantity:** There are no specific Threshold Planning Quantities for the components of this product.
- 15.3 TSCA Inventory Status:** The components of this product are listed in the TSCA Inventory.
- 15.4 CERCLA Reportable Quantity (RQ):** NA
- 15.5 Other Federal Requirements:** This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics)

### 15.6 Other Canadian Regulations:

This product has been classified according to the hazard criteria of the CPR and MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class B5 (Flammable Aerosol).



### 15.7 State Regulatory Information:

**Isobutane:** is found on the following state criteria lists: Massachusetts Hazardous Substances List (MA), Pennsylvania Right-to-Know List (PA), and New Jersey Right-to-know List (NJ).

**Propane:** is found on the following state criteria lists: (MA), (MN), (NJ), (PA), and (WA).

**Dimethyl Ether:** is found on the following state criteria lists: FL, MA, MN, and PA.

No other ingredients in this product, present in concentration of 1.0% or greater are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances Lists (MN) New Jersey Right-to-know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-know List (PA), and Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).

### 15.8 Other Requirements:

The primary components of this product are listed in Annex I of EU Directive 67/548/EEC.

**Dimethyl Ether :** Extremely Flammable (F+). **Risk Phrases (R):** 12- Extremely Flammable, **Safety Phrases (S):** 2-9-16- 33- Keep out of reach of children. Keep container in a well-Ventilated place. Keep away from sources of ignition – No Smoking.

**Propane:** Flammable (F+), R: 12- Extremely Flammable. S 2-9-16 Keep container in a well-ventilated place.

**Isobutane:** Flammable (F+), Risk Phrases R- 12- Extremely Flammable, Safety Phrases (S): 2-6-16-53-45- Keep out of reach of children. Keep cool store below 120 °F (48.8 °C), Keep away from sources of ignition – No smoking. Avoid exposure- obtain special instructions before use. In case of accident or if you feel unwell seek medical advice immediately.



## SECTION 16: OTHER INFORMATION

### 16.1 Other Information:

**WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED. HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION.**

Keep away from heat, sparks, open flames and/or other ignition sources. No Smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing vapor/spray. Wash thoroughly with soap and water after handling. Use only in a well-ventilated area. Wear eye protection. Protect from sunlight. Do not expose to temperatures exceeding 50 °C (122 °F). IF INHALED: remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes remove contact lenses if

present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.  
**KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.**

**16.2 Terms & Definitions:** See last page of this Safety Data Sheet

**16.3 Disclaimer:**

This Safety Data sheet is offered pursuant to OSHA's Hazard Communication Standard 29 CFR 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Sexy Hair Concepts, LLC knowledge, the information contained herein is reliable and accurate as of this date; however accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.



**GENERAL INFORMATION:**

|                                |   |
|--------------------------------|---|
| <b>CAS No.</b>                 | Chemical Abstract Service Number                          |
| <b>EXPOSURE LIMITS IN AIR:</b> |   |
| <b>ACGIH</b>                   | American Conference on Governmental Industrial Hygienists |
| <b>C</b>                       | Ceiling Limit   |
| <b>ES</b>                      | Exposure Standard (Australia)                             |
| <b>IDLH</b>                    | Immediately Dangerous to Life and Health                  |
| <b>OSHA</b>                    | U.S. Occupational Safety and Health Administration        |
| <b>PEL</b>                     | Permissible Exposure Limit                                |
| <b>STEL</b>                    | Short-Term Exposure Limit                                 |
| <b>TLV</b>                     | Threshold Limit Value                                     |
| <b>TWA</b>                     | Time Weighted Average                                     |

**FIRST AID MEASURES:**

|            |  |
|------------|--|
| <b>CPR</b> | Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body. |
|------------|--|

**HMS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

|   |                 |
|---|-----------------|
| 0 | Minimal Hazard  |
| 1 | Slight Hazard   |
| 2 | Moderate Hazard |
| 3 | Severe Hazard   |
| 4 | Extreme Hazard  |

|                            |
|----------------------------|
| <b>HEALTH</b>              |
| <b>FLAMMABILITY</b>        |
| <b>PHYSICAL HAZARDS</b>    |
| <b>PERSONAL PROTECTION</b> |

**PERSONAL PROTECTION RATINGS:**

|          |  |          |  |
|----------|--|----------|--|
| <b>A</b> |  | <b>G</b> |  |
| <b>B</b> |  | <b>H</b> |  |
| <b>C</b> |  | <b>I</b> |  |
| <b>D</b> |  | <b>J</b> |  |
| <b>E</b> |  | <b>K</b> |  |
| <b>F</b> |  | <b>X</b> | Consult your supervisor or SOPs for special handling directions. |

|                      |                                   |                                  |                           |
|----------------------|-----------------------------------|----------------------------------|---------------------------|
|                      |                                   |                                  |                           |
| Safety Glasses       | Splash Goggles                    | Face Shield & Protective Eyewear | Gloves                    |
|                      |                                   |                                  |                           |
| Boots                | Synthetic Apron                   | Protective Clothing & Full Suit  | Dust Respirator           |
|                      |                                   |                                  |                           |
| Full Face Respirator | Dust & Vapor Half-Mask Respirator | Full Face Respirator             | Airline Hood/Mask or SCBA |

**OTHER STANDARD ABBREVIATIONS:**


|              |                                    |
|--------------|------------------------------------|
| <b>ML</b>    | Maximum Limit                      |
| <b>mg/m3</b> | milligrams per cubic meter         |
| <b>NA</b>    | Not Available                      |
| <b>ND</b>    | Not Determined                     |
| <b>NE</b>    | Not Established                    |
| <b>NF</b>    | Not Found                          |
| <b>NR</b>    | No Results                         |
| <b>ppm</b>   | parts per million                  |
| <b>SCBA</b>  | Self-Contained Breathing Apparatus |

**NATIONAL FIRE PROTECTION ASSOCIATION: NFPA**

|                                    |   |
|------------------------------------|---|
| <b>FLAMMABILITY LIMITS IN AIR:</b> |   |
| <b>Autoignition Temperature</b>    | Minimum temperature required to initiate combustion in air with no other source of ignition   |
| <b>LEL</b>                         | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source  |
| <b>UEL</b>                         | Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |

**HAZARD RATINGS:**

|                |                 |
|----------------|-----------------|
| 0              | Minimal Hazard  |
| 1              | Slight Hazard   |
| 2              | Moderate Hazard |
| 3              | Severe Hazard   |
| 4              | Extreme Hazard  |
| <b>ACD</b>     | Acidic          |
| <b>ALK</b>     | Alkaline        |
| <b>COR</b>     | Corrosive       |
| <b>W</b>       | Use No Water    |
| <b>OX</b>      | Oxidizer        |
| <b>TREFOIL</b> | Radioactive     |

**TOXICOLOGICAL INFORMATION:**

|   |  |
|---|--|
| <b>LD<sub>50</sub></b>  | Lethal Dose (solids & liquids) w/s                                 |
| <b>LC<sub>50</sub></b>  | Lethal concentration (gases) which kills 50% of the exposed animal |
| <b>ppm</b>  | Concentration expressed in parts of material per million parts     |
| <b>TD<sub>01</sub></b>  | Lowest dose to cause a symptom                                     |
| <b>TCLo</b>   | Lowest concentration to cause a symptom                            |
| <b>TD<sub>01</sub>, LD<sub>01</sub>, &amp; LD<sub>01</sub> or TC, TC<sub>01</sub>, LC<sub>01</sub>, &amp; LC<sub>01</sub></b> | Lowest dose (or concentration) to cause lethal or toxic effects    |
| <b>IARC</b>   | International Agency for Research on Cancer                        |
| <b>NTP</b>  | National Toxicology Program  |
| <b>RTECS</b>  | Registry of Toxic Effects of Chemical Substances                   |
| <b>BCF</b>  | Bioconcentration Factor  |
| <b>TL<sub>m</sub></b>   | Median threshold limit   |
| <b>log K<sub>OW</sub> or log K<sub>OC</sub></b>   | Coefficient of Oil/Water Distribution                              |

**REGULATORY INFORMATION:**

|                |   |
|----------------|---|
| <b>WHMIS</b>   | Canadian Workplace Hazardous Material Information System                        |
| <b>DOT</b>     | U.S. Department of Transportation   |
| <b>TC</b>      | Transport Canada  |
| <b>EPA</b>     | U.S. Environmental Protection Agency  |
| <b>DSL</b>     | Canadian Domestic Substance List  |
| <b>NOHSC</b>   | National Occupational Health and Safety Commission (Australia)                  |
| <b>NDSL</b>    | Canadian Non-Domestic Substance List  |
| <b>PSL</b>     | Canadian Priority Substances List   |
| <b>TSCA</b>    | U.S. Toxic Substance Control Act  |
| <b>EU</b>      | European Union (European Union Directive 67/548/EEC)                            |
| <b>WGK</b>     | Wassergefährdungsklassen (German Water Hazard Class)                            |
| <b>HMS-III</b> | National Paint & Coatings Association Hazardous Materials Identification System |

**WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:**

|            |           |           |          |            |            |           |          |
|------------|-----------|-----------|----------|------------|------------|-----------|----------|
|            |           |           |          |            |            |           |          |
| Class A    | Class B   | Class C   | Class D1 | Class D2   | Class D3   | Class E   | Class F  |
| Compressed | Flammable | Oxidizing | Toxic    | Irritation | Infectious | Corrosive | Reactive |

**EC (67/548/EEC) INFORMATION:**

|           |           |           |         |           |       |          |         |
|-----------|-----------|-----------|---------|-----------|-------|----------|---------|
|           |           |           |         |           |       |          |         |
| C         | E         | F         | N       | O         | T     | Xi       | Xn      |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

**CLP/GHS (1272/2008/EC) PICTOGRAMS:**

|           |           |          |             |           |       |                    |               |             |
|-----------|-----------|----------|-------------|-----------|-------|--------------------|---------------|-------------|
|           |           |          |             |           |       |                    |               |             |
| GHS01     | GHS02     | GHS03    | GHS04       | GHS05     | GHS06 | GHS07              | GHS08         | GHS09       |
| Explosive | Flammable | Oxidizer | Pressurized | Corrosive | Toxic | Harmful Irritating | Health Hazard | Environment |